
AD-A055 496

TELEDYNE GEOTECH GARLAND TEX
SPECIAL DATA COLLECTION SYSTEMS.(U)
DEC 77. J R SHERWIN
TR-77-8

UNCLASSIFIED

TR-77-8

THE PROPERTY OF THE PROPERTY



TEGHNIONE REKARAMANDA ME

FINAL FERORT PROFESTOR VOICE State for very some state for two pages

 $\langle$ 



14/TR-77-81

TECHNICAL REPORT NO. 77-8

FINAL REPORT, PROJECT T/4703 SPECIAL DATA COLLECTION SYSTEMS

August 1973 through October 1977

John R. Sherwin /

Final rept. Aug 73-Oct 773

15 F 48696-74-C-9013/

This document has been approved for public release and sale; its distribution is unlimited.

TELEDYNE GEOTECH 3401 Shiloh Road Garland, Texas 75041

8 06 19 028


22 December 1977

405 770

#### **IDENTIFICATION**

AFTAC Project Authorization No.
ARPA Order Nos.
Program Code No.
Contractor
Effective Date of Contract
Contract Expiration Date
Date of Report
Contract No.
Program Manager

Short Title of Work Amount of Contract Contract Period Covered by this Report T/4703
2551 and 2897
6F10
Teledyne Geotech
1 August 1973
30 September 1977
22 December 1977
F08606-74-C-0013
John R. Sherwin
(214) 271-2561, ext. 265
Special Data Collection Systems
\$1,870,088
1 August 1973 through
31 October 1977



SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM					
1. REPORT NUMBER  77-8	3. RECIPIENT'S CATALOG NUMBER					
Final Report, Project T/4703 Special Data Collection Systems August 1973 through October 1977  7. Author(*)  John P. Shownin	5. TYPE OF REPORT & PERIOD COVERED Final Report August 1973 through Oct. 1977 6. PERFORMING ORG. REPORT NUMBER					
John R. Sherwin George C. Kraus	8. CONTRACT OR GRANT NUMBER(s) F08606-74-C-0013					
9. PERFORMING ORGANIZATION NAME AND ADDRESS Teledyne Industries, Geotech Division 3401 Shiloh Road Garland, Texas 75041	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS					
11. CONTROLLING OFFICE NAME AND ADDRESS  Air Force Technical Applications Center	12. REPORT DATE 22 December 1977  13. NUMBER OF PAGES					
Alexandria, Virginia 22314  14. MONITORING AGENCY NAME & ADDRESS(11 different from Controlling Office)	58 15. SECURITY CLASS. (of this report)					
Also provide desired and desired and service	Unclassified  15a. DECLASSIFICATION/DOWNGRADING SCHEDULE					
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different fro	om Report)					
18. SUPPLEMENTARY NOTES						
19. KEY WORDS (Continue on reverse side if necessary and identify by block number Seismic Seismic Recording Systems Long-Range Seismic Measurements Program VELA-Uniform						
Work performed under Project T/4703, Special Dat the period for 1 August 1973 through 31 October	a Collection Systems, during					
Under the primary data collection task five port were routinely operated at ten sites during the September 1977. Three additional systems were pl June 1977, and also remained operational through	period from early 1975 through aced in operation in May and					

#### SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

#### 20. ABSTRACT (Continued)

The systems were operational for a total of 157 team months and all data were forwarded to the Seismic Data Analysis Center (SDAC) in Alexandria, Virginia for processing. Event reports were prepared under the program as requested by the Project Officer through April 1976; 104 reports were prepared. After April 1976, event reports were prepared under the SDAC contract.

Three special projects were completed under the program. In the first study, the Model 36000 Borehole Seismometer (KS-36000) was modified and tested for operation in boreholes up to 3000 meters deep. The modified unit was operated at a Wyoming site along a shallow borehole KS-36000 in order to determine the effects of depth on long-period signals. In another study, various techniques for detecting tunnels were investigated and field measurements were made. Finally, a study was made to determine the cause of unexplained noise on the KS-36000 instrument and to develop techniques for eliminating it. Details of these studies and results are reported in special technical reports.

The eleven portable seismograph systems were modified as necessary to meet the requirements of the various tasks. Digital recording capability was included for five systems with the development of a digital data acquisition system. By the end of the contract period, filter/amplfier systems were built for operation of three KS-36000 systems in place of the normal complement of surface seismometers. In general, the portable seismograph systems along with other equipment assigned to the program, have continued to be a versatile and reliable means of collecting seismic data for research purposes.

#### CONTENTS

			Page
1.	INTR	ODUCTION	1
2.	PROG	RAM SUMMARY	1
	2.1	Project activities	1
		2.1.1 Activities from August 1973 - December 1974	1
		2.1.2 Activities during 1975	2
		2.1.3 Activities during 1976	2 4 5
		2.1.4 Activities during 1977	
	2.2	Publications	6
3.	FIEL	D OPERATIONS	8
		General	8
	3.2	Field sites	8
		3.2.1 Team 51, Faultless, Nevada (FA-NV)	8
		3.2.2 Team 52, Tatum Dome, Mississippi (TQ-MS)	8
		3.2.3 Team 53, Gasbuggy, New Mexico (GB-NM)	10
		3.2.4 Team 56	10
		3.2.5 Team 57	12
		3.2.6 Team 58, Houlton, Maine (HN-ME)	13
		3.2.7 Team 59, Red Lake, Ontario, Canada (RK-ON)	13
		3.2.8 Team 60	14
	3.3	Operational reliability of the portable seismograph systems	
		3.3.1 Failure analysis of the equipment	15
		3.3.2 Action to improve reliability	17
4.	GARL	AND SUPPORT	20
	4.1	Engineering support	20
		4.1.1 Digital recording system	20
		4.1.2 Model 36000 borehole seismometer system	21
		4.1.3 Magnetic Tape Recorder, Model 19429	21
		4.1.4 Helicorder, Model 12400	21
		4.1.5 Battery Charger, Model 21160	21
	4.2	Field support	22
		4.2.1 Support equipment	22
		4.2.2 Field team history and site information	24

APPENDIX 1 - SUMMARY OF EVENT REPORTS

APPENDIX 2 - DISPOSITION OF LRSM VANS

APPENDIX 3 - LRSM - SDCS FIELD TEAM HISTORY

APPENDIX 4 - LRSM - SDCS SITE INFORMATION

#### ILLUSTRATIONS

Figure		Page
1	Operational periods of sites occupied from February 1975 through September 1977	9

### TABLES

Table		Page
1	Publications under contract F08606-74-C-0013	7
2	Operational reliability of SDCS units by team, June - September 1977	16
3	Analysis of equipment failures, June - September 1977	18
4	SDCS support equipment	23

#### FINAL REPORT, PROJECT T/4703 SPECIAL DATA COLLECTION SYSTEMS August 1973 through October 1977

#### 1. INTRODUCTION

The Special Data Collection System (SDCS) program, Project T/4703 is an extension of work begun under the Long Range Seismic Measurements (LRSM) program in 1960. The work is directed primarily toward collection of high quality seismic data for the development of seismic techniques necessary to detect and identify underground nuclear explosions. In addition, the program also involves related special studies such as instrumentation development and special field studies utilizing the equipment and capabilities of the program.

This report describes the work performed under the SDCS program during the period from August 1973 through October 1977 and is submitted in accordance with Sequence A005 of the Contract Data Requirements List as amended under Modification P00005, 2 January 1975. This research was supported by the Advanced Research Projects Agency of the Department of Defense and was monitored by AFTAC/VSC, Alexandria, Virginia, under Contract No. F08606-74-C-0013.

#### 2. PROGRAM SUMMARY

#### 2.1 PROJECT ACTIVITIES

#### 2.1.1 Activities from August 1973 through December 1974

Project T/4703 began in August 1973. The program's primary task was a short-term deployment of the eleven SDCS units for an unspecified event; the systems were to be maintained in readiness in Garland until notification was received from the Project Office. In addition, the program included a special study task to evaluate and test the new Model 36000 Borehole Seismometer (KS-36000) in deep boreholes.

During the period from August 1973 through March 1974, work on the primary task was limited to equipment maintenance. On the deep borehole study, the KS-36000 was modified as necessary to assure proper operation in the high temperature-high pressure environment of boreholes up to 3000 meters deep. Also, SDCS and other equipment necessary to operate at the deep borehole site near Pinedale, Wyoming (PI2WY) was tested and prepared for shipment. The overall plan of this PI2WY operation was to compare the operation of a KS-36000 in a shallow borehole (45 meters deep) with the specially configured system at several depths from 45 meters to 3000 meters. Operational characteristics of the modified system in the as yet untested environment of the deep borehole (water fill, high temperature and high pressure) were to be determined. The primary plan, however, was to determine the effects of depth on signals and noise in the long-period passband.

In April 1974, an amendment to the contract was received, extending the primary task through June 1975 under the same arrangements as before. Meanwhile, equipment for the deep borehole experiment was shipped to PI2WY and set-up began. Operation continued without the deep borehole KS-36000 until August 1974 when modification and final testing were completed. A restriction in the deep borehole prevented setting the KS holelock below 1350 meters (4400 ft). Therefore, the deep hole instrument data were obtained from 300 and 900 meter depths in the water-filled portion of the borehole and from 90 and 180 meter depths in the dry portion of the hole. Operations at PI2WY were discontinued on 2 January 1975, and all equipment was returned to Garland. A report covering instrument tests and data processing was submitted in March 1975.

Meanwhile, another special study was begun in December 1974 in order to investigate methods for detecting shallow tunnels. Techniques investigated were active seismic, magnetic, and radioactive decay of radon. Theoretical studies showed that there was insufficient radon in newly excavated rock to detect at distances. A brief field program was conducted from Geotech's Alexandria office to evaluate the first two methods using railroad tunnels in Ohio and Colorado as targets. These tests showed that only the magnetic detector was even marginally successful in detecting tunnels. A field demonstration of the magnetic technique was conducted at an overseas site in April 1975. A final report describing field tests and conclusions was submitted in June 1975, and a supplemental report covering the overseas test was submitted in July 1975.

#### 2.1.2 Activities During 1975

In November 1974, notification was received from the Project Office that five SDCS units were to be deployed on a semi-permanent basis from early 1975 until June 1975 with an extension through March 1976 likely. Sites to be occupied had been previously used under earlier programs and were as follows:

Team No.	Site	Equipment to be Used
56	Franklin, West Virginia (FN-WV)	KS-36000 in existing borehole with SDCS recording equipment.
57	Cumberland Plateau Observatory (CPO), McMinneville, Tennessee	Station vertical short-period array plus standard SDCS instrumentation.
58	Houlton, Maine (HN-ME)	KS-36000 in existing borehole with SDCS recording equipment.
59	Red Lake, Ontario (RK-ON)	Standard SDCS unit.
60	Whitehorse, Yukon (WH2YK)	Standard SDCS unit.

Data from these stations were to be processed using facilities at the Seismic Data Analysis Center (SDAC) in Alexandria, Virginia. Also, the SDCS systems were to be upgraded by the addition of digital recording systems. Preparations for the deployment (permits for sites, leasing of vehicles, equipment checkout, etc.) began in December and the first three teams (HN-ME, RK-ON, and WH2YK) left Garland in January 1975. The system for CPO left in early February and the FN-WV system left in March. A helper was assigned to each team to complete the extra work due to the semi-permanent nature of the stations and for safety reasons due to the cold weather.

Both HN-ME and WH2YK were operational by late February; HN-ME began operations with a standard surface installation pending completion of a borehole. The RK-ON site became operational in March after a delay in receiving the small diesel generators; CPO also became operational in March. Set up of the FN-WV site was delayed due to several problems, such as late approval to re-enter the plugged deep borehole and borehole-produced noise when the KS-36000 was installed. Routine operation at FN-WV began in late May with the KS-36000 in a shallow (10 meter deep), water-filled borehole.

Data quality from all teams was generally poor for about a month after each site became operational but improved significantly as operators gained experience. Quality control (QC) checks of the field magnetic tapes in Garland were routinely used to detect operational problems; operators were notified of these problems and suggestions for correction were given. After QC, all data were shipped to the SDAC for storage and later processing. The SDAC group was given responsibility to produce detailed event reports using SDCS data as directed by the Project Office.

While routine operations continued at the five sites, work on the digital recording system began in May 1975 with the selection of the Kinemetrics Model DDS-1103 Digital Recording System. Five of these systems were ordered and work began in Garland to design and build the necessary equipment to interface the digital system with the SDCS units. After resolving some initial difficulties with the DDS-1103, the first system was placed in operation at CPO in early November 1975, followed by installations during December at FN-WV, HN-ME, and WH2YK. The system scheduled for the RK-ON site was used by Geotech engineers and by the manufacturer to investigate an intermittent problem in the dual memory. After several tests, the system was installed at RK-ON in March 1976, even though a satisfactory solution to the problem had not been determined. The problem continued to cause the intermittent loss of data until the memories were replaced by newly designed units beginning in December 1976. The systems, as modified, operated with only isolated problems throughout the remainder of the contract period. To complete the development work, an operation and maintenance manual for the digital recording system was written, printed and sent to system users.

Routine operations at the five sites continued throughout the design and installation phase of the digital systems. In June 1975, the operational portion of the contract was extended through March 1976. During November 1975, a borehole (40 meters deep) was drilled and cased on the HN-ME site and the problem with the deep borehole casing at FN-WV was corrected by cementing. The HN-ME KS-36000 system was placed in operation in December, resulting in a decided improvement of data quality as compared to the surface installation. A similar improvement was achieved when the KS-36000 at FN-WV

was moved from the shallow (10 meters) borehole to the deep hole at 60 meters depth. Addition of the digital recorder resulted in no significant problems to the operators, except that digital tapes had to be changed daily, requiring a visit to the site seven days a week. Operating procedures using the new equipment were quickly developed and digital recording was incorporated into normal operations. Meanwhile, routine data processing and preparation of event reports continued at the SDAC. In addition, software and other procedures were developed to use the digital data as soon as it became available. The computer facilities at SDAC were also used in troubleshooting the various problems in the field system and a routine digital QC procedure was developed.

#### 2.1.3 Activities During 1976

In January 1976, approval was received to conduct a study of convection-induced noise on the KS-36000 in shallow boreholes. The purpose of the study was to determine the cause or causes of the long-period (60 to 200 sec) noise which was sometimes seen on the high-gain KS horizontal data traces. In addition, methods of eliminating the noise from the data were to be developed if possible. The study was conducted using a KS-36000 in the 60 meter deep borehole at the Garland facility from March through mid-June 1976. A special report on the study and results was prepared and submitted in late June. The study showed that the noise generally termed "convection noise" could be due to atmospheric pressure changes acting either on the seismometer directly if the borehole was unsealed or on the earth's surface if the borehole was well sealed. sealed borehole reduced atmospheric effects significantly.) The characteristic noise could also be produced by nearby heavy truck traffic. When these sources of noise were eliminated, KS traces continued to show occasional periods of noise. Although none of the tests were able to detect convection activity directly, the remaining noise is thought to be due to minute temperature changes in the KS-36000 support members which in turn are caused by air (or water) circulations due to convection. Techniques were developed to insulate or otherwise protect the holelock and instrument base from these temperature changes, but were not tested due to time constraints.

In April 1976, the operation of the five sites was extended through December 1976. At this time responsibility for all SDCS data processing was transferred to the SDAC contract. Operations continued at these original sites through July 1976 when the stations at FN-WV, CPO, and WH2YK were closed for relocation; RK-ON and HN-ME remained in operation. The FN-WV and CPO stations were rolled up and transported to Garland to be reconfigured as necessary to operate short-period surface instrumentation only. The WH2YK equipment was transported directly to the Nevada Test Site (NTS) near Las Vegas, Nevada, and was joined later by the other two SDCS units. These systems were to collect data for an experiment to determine whether teleseismic signals detected on the NTS exhibited anomalies similar to those signals generated by explosions on the NTS and detected elsewhere. The SDCS units were set up as follows:

Team No.	New Site	Old Site	Remarks
56	Nevada Test Site (NT-NV)	FN-WV	Pahute Mesa, Area 20 on Timber Mountain Caldera
57	Nevada Test Site 2 (NT2NV)	СРО	Pahute Mesa, Area 19, edge of Timber Mountain Caldera
60	Oak Spring Butte 2 (OB2NV)	WH2YK	Granite, Climax Stock, Area 15.

In general, set-up of the three sites was completed quickly and without difficulty. Personnel at NTS were extremely helpful in providing assistance for site selection, power hookup, and access to the various areas. The NT-NV and OB2NV sites were operational by late August and NT2NV started in early September.

#### 2.1.4 Activities During 1977

Routine operation of the five sites continued and plans were made to terminate the field program in December. All equipment was scheduled to be returned to Garland to be maintained in storage through September 1977. In mid-December, the field operation was extended through September 1977. The SDCS units remained in continuous operation until April when the NT-NV and NT2NV stations were moved from Pahute Mesa to Yucca Flat in Areas 3 and 7 of the NTS. In addition to the standard three-component short-period instrumentation, single vertical component outriggers were installed with each unit to form a four-element linear array in Yucca Flat. The purpose of this installation was to collect data near sites with known signal anomalies. It was recognized at the time that the Yucca Flat Sites would be very noisy due to a lack of competent bedrock for seismometer emplacement and also due to the great amount of cultural activity in the area such as heavy equipment movements and drilling. An outrigger was also added to complement the OB2NV site. The new sites and all outriggers were in routine operation by mid-April. Sites are as follows:

Team No.	New Site	Old Site	Remarks
56	Yucca Flat, Nevada (YF-NV)	NT-NV	3-component, east end, Area 3
	Yucca Flat 2, Nevada (YF2NV)	-	Outrigger, 1 km west of YF-NV, recorded at YF-NV
57	Yucca Flat 4, Nevada (YF4NV)	NT 2NV	3-component, approx 3 km west of YF-NV, Area 7
-	Yucca Flat 3, Nevada (YF3NV)		Outrigger, 2 km west of YF-NV, recorded at YF4NV
-	Oak Springs Butte 3, Nevada (OB3NV)	-	Outrigger, 1 km NNE of OB2NV, granite, Climax Stock, recorded at OB2NV

In April, three additional SDCS units were prepared for deployment as directed by the Project Office. The new units were to be located near the detonation points of devices off the NTS as an extension of the magnitude anomaly study using NTS sites. The teams departed Garland in mid-May and were operational by early June. Commercial power was not readily available at these new sites so system power was supplied using thermoelectric generators (TEGs); the systems recorded on FM analog tape only. The sites are as follows:

Team No.	Site	Remarks
51	Faultless, Nevada (FA-NV)	Near Tonopah, Nevada, site of FAULTLESS event.
52	Tatum Dome, Miss. (TQ-MS)	Near Purvis, Mississippi, site of SALMON event.
53	Gasbuggy, New Mexico (GB-NM)	Near Farmington, New Mexico; site of GASBUGGY event.

Addition of the three new teams resulted in a requirement to produce visual playouts to facilitate data processing at the SDAC. A suitable reproduction facility was set up at Garland using existing equipment. The playouts were made on a specially modified high-speed Develocorder (16-mm film) at a twenty-times real-time playback of the field magnetic tape. The film presentation compressed the short-period data as compared to normal, real-time operation, but resolution was adequate for preliminary analysis at the SDAC.

At the end of the contract operating period, eight SDCS units were in operation. Notification had been received earlier from the Project Office that operations would be continued under a new contract; however, several sites were to be relocated. Therefore, on 30 September 1977, operations at YF-NV, YF4NV, and FA-NV were terminated and the equipment was prepared for shipment to the new sites under the new contract. Operations at HN-ME, RK-ON, and OB2NV continued without interruption.

#### 2.2 PUBLICATIONS

Table 1 is a chronological listing of the major technical and operations reports published as a result of activities under this contract. Appendix 1 is a summary of the Event Reports published by the SDAC as a result of data processing completed under this contract. The reader is referred to these publications for details of the operations and results (where applicable) of the primary data collection task and special studies.

Table 1. Publications under Contract F08606-74-C-0013

Report No.	<u>Title</u>		Date	
75-2	Deep Borehole Operation of the Borehole Seismometer System, Model 36000	15	March	75
AL-75-1	Tunnel Location by Magnetometer, Active Seismic, and Radon Decay Methods	18	June	75
75-5	Semiannual Report, Project T/4703, Special Data Collection Systems, January through June 1975	30	June	75
76-3	Semiannual Report, Project T/4703, Special Data Collection Systems, July 1975 through December 1975	30	March	76
76-6	Shallow Borehole Convection Noise Study	30	June	76
76-8	Semiannual Report, Project T/4703, Special Data Collection System, January through June 1976	30	July	76
77-1	Semiannual Report, Project T/4703, Special Data Collection System, July through December 1976	31	Jan.	77
77-7	Semiannual Report, Project T/4703, Special Data Collection System, January through June 1976		ting ap	proval
	Operation and Maintenance Manual, Digital Recording System, Model 43419	02	Aug.	77

#### 3. FIELD OPERATIONS

#### 3.1 GENERAL

During the report period, seven SDCS units were operational in the field. Figure 1 is a summary of the operational dates for each of the units and the sites that were occupied. The following paragraphs summarize the team activity at each of the sites during the operational period.

#### 3.2 FIELD SITES

#### 3.2.1 Team 51, Faultless, Nevada (FA-NV)

The team arrived on site on 26 May 1977. A site was selected and permission to occupy the location was coordinated by the Project Office through the Property Management Office, Nevada Operations Office of the Energy Research and Development Administration (ERDA) in Las Vegas, Nevada. The site is located about 1050 m (3400 ft) NW of the FAULTLESS detonation surface ground zero (SGZ).

Site installation and set-up calibrations were completed on 03 June 1977 and routine operations were conducted from that date until the site was closed on 30 September 1977. The data requirement at FA-NV was for the analog magnetic tape recording of short-period data only. No major problems were encountered during the operational period and the minor problems which included low thermoelectric generator (TEG) voltages, tape capstan motor failures and timing system instability were corrected as they occurred.

#### 3.2.2 Team 52, Tatum Dome, Mississippi (TQ-MS)

On 12 May 1977, Team 52 arrived in the general area of Projects DRIBBLE and MIRACLE PLAY conducted in the Tatum Salt Dome. A site was selected about 520 meters (1700 ft) SSW of the SALMON detonation SGZ.

Routine analog recording of short-period data was begun on 20 May 1977 following the completion of site installation and set-up calibration procedures. The system remained operational in this configuration at the end of this report period. Thirteen days of magnetic tape recording were lost due to bearing failure in three nonstandard capstan motors of FM magnetic tape recorder. The tape system was changed to a standard configuration and has operated satisfactorily since 16 June 1977. There were no other major malfunctions at TQ-MS but there were many minor problems. There were several noisy tape system gear boxes, continuing amplifier drift, and a continuing problem with variable power outputs from the two thermoelectric generators.

The noise level at Tatum Dome is high due to the lack of good bedrock for seismometer emplacement, the number of trees in the area and activities of lumbering and geophysical exploration crews in the area. Heavy rains during September 1977, added to the site problems by hindering site access due to destroyed bridges and almost impassable dirt roads.

	S		T		T		T				T	T				T	T				T			T	
	4		1		1		+				1	1				1	1		1		+			1	
	-		+		T		+				+	T				1	T		1	44	T			1	-
	-		T		T		+				+	1				$\dagger$	t		T		+			T	
1977	Σ			No.	+		+				+	+				1	+		T		T			T	
	∢									T					T				T		T			1	
	Σ									T					1				T		T			T	100
	ш									T											T			T	
	7									T			+		T				T						
	٥									T					T				T		T			T	
	z																		T		I				
	0																								
	S									T															
	٨														•									1	
1976	7								1					1									1		
15	7								1										1		1		1		
	Σ								1					1				98	1		1		1		
	∢								1					1					1		1		1		
	Σ								1					1					1		1		1		
	u.								1					1					-		1		+		
	7								4					1					+		1		1		
	٥								1					1					1		1		+		
	z						_		+					+					+		+		+		
	0								+					+					+		+		+		
	S								+					+				-	+		+		+		
1975	4								+					+					+		+		+		
19	7								+					+					+		+		+		
	7								1					+					+		+		+		
	Σ													+		_			+		+		+		
	₹													+					+		+		+		
	2	_					-												+	_	_		+		
									931																
		T-51	FA-NV	-52	TO-MS	T-53	GB-NM	T-56	FN-WV	NTZNV	YF-NV	YF2NV	-57	CPO	NT-NV	YFANV	YF3NV	T-58	HN-ME	-59	BK-ON	9	WH2YK	OB2NV	OBBNA

Figure 1. Operational periods of sites occupied from February 1975 through September 1977

#### 3.2.3 Team 53, Gasbuggy, New Mexico (GB-NM)

Team 53 arrived in the site area on 23 May 1977 and immediately began set-up of the system. The permit to occupy the site was obtained through the Las Vegas, Nevada office of ERDA. The site is located about 1900 meters (6300 ft) NW of the GASBUGGY detonation SGZ. Site installation and set-up calibrations were completed on 29 May 1977 and routine operations began.

Routine operations consisting of the analog magnetic tape recording of short-period data were continued through the end of the report period. There were no major problems or operating difficulties encountered during the period covered by this report. A personnel changeover was completed in September 1977, with no decrease in recording efficiency.

#### 3.2.4 Team 56

#### 3.2.4.1 Franklin, West Virginia (FN-WV)

The FN-WV site was selected for operation of the Model 36000 Borehole Seismometer as the site has two cased boreholes - one shallow reference hole, 15 meters (50 ft) deep and a deep borehole 3827 meters (12,557 ft) deep known as Sponaugle No. 1. The site was originally occupied under Project VT/1139 in 1964 and at the end of that project the deep borehole was plugged. The site was re-leased in late January 1975 and arrangements made with a local driller to re-enter the deep hole to the 160 meter (525 ft) level. However, delays in receiving an approved redrilling permit from the West Virginia Bureau of Mines, Oil and Gas Division, delayed the re-entry until 31 March 1975.

Installation of the KS-36000 seismometer in the deep borehole began on 10 April 1975. The holelock was installed at 150 meters (494 ft) and the seismometer was installed and leveled. The noise level of the LP horizontal channels remained abnormally high even after allowing for settling time. After thorough testing and checking for noise sources it was determined that the 7-inch API casing was not adequately constrained at the 150-meter operating depth. Apparently, the drilling mud which had filled the annulus between the 7-inch API casing and the 9-5/8 inch API surface casing had settled out to a point that the 7-inch casing was left free-hanging.

The seismometer was then moved to the waterfilled shallow borehole. On 27 May 1977 the station was considered operational although the LP horizontal traces were still about twice as noisy as the vertical channel due to thermally induced tilts and near surface environmental effects. However, the operating magnifications were three to five times greater than that at any other SDCS station.

Later cement was poured into the annulus between the surface casing and the deep borehole casing so that the more stable deep borehole could be used for operation of the Model 36000 seismometer. In December 1975, a KS-36000 was installed at a depth of 60 meters in the dry, deep borehole. The data subsequently recorded had none of the noise characteristics of the shallow borehole operation.

The digital recording system was installed in December 1975 but was not placed in routine operation until February 1976 when the controller drawer was returned from the manufacturer after repair. The system continued to have occasional alternate memory problems until May when a Kinemetrics representative visited the site and observed the problem under field conditions. A replacement memory operated properly throughout the remainder of the operations at FN-WV.

On 21 March 1975, the KS seismometer was removed from the borehole so that the orientation of the holelock could be determined. (The orientation for the KS seismometer had been estimated when it was originally installed in December 1975.) The Humphrey, Inc., Gyrosurveyor Probe System which had been delivered to the contract was used. While it was out of the hole, the KS seismometer was modified to reduce the short-period signal level by 14 dB at the instrument output to provide better control of the SP recording levels. Routine operations with proper orientation were resumed on 22 March.

On 15 June 1976 the KS was damaged by lightning in spite of the lightning protection devices which were utilized. The unit was replaced on 23 June but the SP and LP data from the new system soon became intermittently noisy and unusable. The unit was removed from the borehole and the inner case helium pressure was reduced. When installed, the unit functioned properly until the conclusion of operations at 2100Z, 28 July 1976.

This SDCS system was returned to Garland to be returned to a standard configuration. The site lease and deep borehole operations permit remained active until 4 February 1977 when the lease was terminated and the borehole was replugged according to the regulations of the State of West Virginia.

3.2.4.2 Nevada Test Site, Area 19, Nevada (NT2NV)

In late August 1976, Team 56 was reconfigured to record three-component surface short-period data in both analog and digital modes, and was moved onto location on the Nevada Test Site (NTS). The site on Pahute Mesa was prepared and arrangements were made with USGS for use of a small trailer to house the system. The site installation was completed on 10 September 1976, when routine operations began. Operations at NT2NV were routine with no major malfunctions in either the analog or digital systems. The site was closed on 01 April 1977 and moved to another location on the NTS.

3.2.4.3 Yucca Flat (YF-NV) and Yucca Flat 2 (YF2NV), Area 3, Nevada Test Site, Nevada

The Team 56 equipment from NT2NV was moved on site at YF-NV on 01 April 1977 and site installation was completed on 10 April 1977. The YF-NV site consisted of a three-component short-period system and the YF2NV site was a single 3P vertical instrument located 880 meters (2900 ft) west of the YF-NV location as an "outrigger" of the YF-NV site. Data from both sites were recorded on the YF-NV analog and digital recorders.

Operations at this site were relatively trouble free with only minor equipment problems. The long data cable between the outrigger and the prime site picked up noise caused by the operation of many mobile radio transmitters in the area. The absence of competent bedrock for the seismometers resulted in low magnifications and relatively high levels of cultural activity (heavy equipment movements and drilling) caused extended periods of noisy data. The site operations were terminated on 30 September and the system was removed from the NTS to be relocated in western Colorado.

#### 3.2.5 Team 57

#### 3.2.5.1 Cumberland Plateau Observatory (CPO), Tennessee

Team 57 was operated at the Cumberland Plateau Observatory (CPO) near McMinnville, Tennessee, from 14 March 1975 until 28 July 1976. CPO has been operational since December 1962, and at the time of the arrival of the SDCS unit in February 1975, the USGS was responsible for operations. SDCS operations at CPO were fully coordinated with the USGS by the Project Office.

The existing instrumentation at CPO was a 19-element short-period vertical array with two SP horizontal instruments (Johnson-Matheson seismometers) and a three-component LP system. The SDCS recording initially consisted of the vertical array summation and the two short period horizontals instead of the standard SDCS seismometers; after retrofit of the LP vaults, SDCS LP instrumentation was utilized. The operation of the CPO was a cooperative effort between USGS personnel and Geotech until October 1975 when the USGS staff was transferred. The SDCS operator continued to maintain operations of both SDCS and CPO equipment as well as telemetering equipment that had been installed in September 1975, for Virginia Polytechnic Institute and State University in Blacksburg, Virginia.

The first digital recording system was installed at CPO in November 1975. The unit operated satisfactorily until operations were terminated with only minor modification and maintenance required.

Departure from CPO in late July 1976 was coordinated with USGS personnel in Golden, Colorado, and responsibility for the facility was returned to them. The system was returned to Garland for reconfiguration prior to redeployment.

#### 3.2.5.2 Nevada Test Site, Area 20, Nevada (NT-NV)

During August 1976, the Team 57 instrumentation was configured to record three-component short-period data in both digital and analog formats. The system was checked in Garland and transported to the NTS. Site installation was completed on 25 August 1976. Commercial power and a trailer to house the recording instruments were provided by other organizations on the NTS. No problems were encountered in analog recording and only problems with the alternate memory circuits were encountered with the digital system. The site remained operational until 01 April 1977 when it was moved to another location on the NTS.

# 3.2.5.3 Yucca Flat 3 (YF3NV) and Yucca Flat 4 (YF4NV), Area 7, Nevada Test Site

The site on Yucca Flat was occupied on 01 April 1977. The trailer and equipment were moved on site, instrument set-up and calibrations performed and operations began on 10 April 1977. The YF4NV instrumentation was a three-component short-period system and the YF3NV site was a SP vertical outrigger located 1100 meters (3600 ft) east of YF4NV. Data from both locations were recorded in both digital and analog formats at the YF4NV recording location.

The major operational problems encountered were with the digital recording system, including memory failures and tape skew problems. As at the other Yucca Flat sites, the noise level was high due to the lack of competent bedrock and cultural activity. Site operations were discontinued on 30 September 1977 and a site was prepared for relocation to the Gold Meadows area on Rainier Mesa at the NTS.

#### 3.2.6 Team 58, Houlton, Maine (HN-ME)

The HN-ME site is the location occupied for the RIO BLANCO experiment in May 1973. This alternate location to the original site was obtained because the original HN-ME site could not be leased. The location change was not of sufficient magnitude to warrant a site designator change.

Routine operations at HN-ME began on 20 February 1975 after many delays and problems due to heavy snows and extremely cold weather. The wooden vaults used in 1973 were again utilized as the snow, cold and frozen ground prevented new vault installation. A site retrofit was not performed because the original HN-ME site was to be leased later in order to utilize the borehole that was originally drilled for the vertical strain seismometer test program in 1969 under Project VT/8704. When it became evident that a satisfactory lease for the original site was not possible due to litigation, a 40 meter borehole was drilled and cased at the operational site. The Model 36000 seismometer was placed into operation on 11 December 1975 and an immediate marked improvement was noted in LP data quality. The SP data quality was not significantly improved except during windy periods because background noise is primarily due to the close proximity to the ocean. On 15 March 1976, the Model 36000 was removed from the borehole so that the orientation of the holelock could be checked. While the KS was out of the borehole it was modified to lower the SP signal level. Operations at the site were continuing at the end of the contract. This site has been remarkably free of operational problems.

#### 3.2.7 Team 59, Red Lake, Ontario, Canada (RK-ON)

The site at Red Lake has been occupied for several previous operations starting in 1963. From June 1963 to August 1970, the site was an LRSM van site, generator powered and with the vaults installed in a log bunker. The site was re-occupied in 1971 for the CANNIKAN experiment and again in 1973 for Project RIO BLANCO by portable system teams. Although this site lacks commercial power, excellent data have been recorded at this location.

The site set-up for this experiment began on 03 February 1975 when the standard portable system arrived on site. Site operations did not begin until 10 March 1975 due to delays in receiving the power generators, delays in delivery of

the equipment and generator shelters and the extreme cold weather and heavy snow.

Site operations have been continuous since that time with only short periods of outage time due to equipment failure or site retrofit. During the summer of 1975, the log bunker was replaced with a smaller concrete block structure. The change was necessary as the log structure was rotted and was close to collapse. The generator operation has been exceptionally successful with few outages that could not be repaired on site. In approximately 2-1/2 years of continuous operation, there were only four instances when the generator repair could not be completed on site. Most of the outage time other than that caused by generator failure has been due to the difficulty in getting replacement parts to Red Lake. A Canadian postal strike in late 1975 caused severe problems in completing data and resupply shipments. Routine air shipments to Red Lake from Garland require a minimum of ten days.

The DDS-1103 digital recording system was installed on 09 March 1976. The installation was delayed as the system was being used to conduct laboratory tests to support the four operating systems. Digital recording was lost from 08 to 30 July 1976 due to a failure of a 400 kHz crystal and again from 27 October to 13 November 1976 due to a failure of the 5-volt power supply in the Pertec tape recorder. The data loss was due to the unavailability of replacement parts. Analog recording continued uninterrupted during the periods of digital system failure.

#### 3.2.8 Team 60

#### 3.2.7.1 Whitehorse, Yukon, Canada (WH2YK)

The Whitehorse site had been occupied by an LRSM van from October 1966 to October 1969 and was occupied by portable systems for the CANNIKAN and RIO BLANCO experiments in 1971 and 1973. This site is a bunker location with tank vaults and commercial power available. The portable system arrived on site on 05 February 1975 and site operations began on 18 February 1975.

Site operation at Whitehorse continued relatively trouble free until the site closed down on 28 July 1976. The only major problem was the lack of consistent reception of radio time signals from WWV, WWVH or any other accurate time signal broadcast. The most satisfactory method of using time signal broadcasts was to try the reception several times during the day, by returning to the site after routine operating hours.

The DDS-1103 digital recording system was installed during December 1975 with routine data recording starting on 19 December. During the installation, a miswiring by the manufacturer was discovered and corrected. High background caused by a nearby radio frequency transmitter also had to be corrected. A filter was designed and installed and ground loops eliminated which reduced the noise level to below that of the normal seismic background.

Routine operations were maintained until 28 July 1976 when the site was closed and moved to the Nevada Test Site.

#### 3.2.7.2 Oak Springs Butte 2, Nevada (OB2NV)

On 09 August 1976 arrangements were completed with NTS personnel allowing operations on the test site and with U. S. Geological Survey personnel to use three of their idle recording trailers to house the SDCS recording equipment.

The site was fully operational on 16 August 1976 with both analog and digital short-period records being made. Site operations have continued throughout the report period with some changes in operational status. In April 1977, a short-period vertical outrigger instrument was added and designated OB3NV. This new location is approximately 850 meters (2800 ft) north-northwest of the OB2NV site. In May 1977, NTS personnel initiated an investigation of the possible use of the PILEDRIVER location as an underground waste disposal facility. A large blower and the shaft elevator were operated causing exceptionally high background on all data channels.

Analog recording continued virtually uninterrupted throughout the report period with only minor outages caused by power failures and tape drive malfunctions. The digital data recording system, however, was plagued with memory malfunctions from October 1976 until April 1977 when the unit was repaired by Kinemetrics personnel. The digital system has operated satisfactorily since the repair.

#### 3.3 OPERATIONAL RELIABILITY OF THE PORTABLE SEISMOGRAPH SYSTEMS

#### 3.3.1 Failure Analysis of the Equipment

An analysis was made of the operations at eight SDCS units during the period from June through September 1977, to determine the reliability of the equipment. For each station, the total outage time due to equipment failure was determined in terms of seismograph channel-hours. The particular component which failed was also noted in each case. Failures in the digital recording system were not included nor were a few outages caused by operator error. The following tables show the analysis of the data by team and by equipment category.

Table 2 shows that all teams were on the air 96.6 percent of the time from June through September. This level of reliability is significant for several reasons. First, each unit is operated by only one technician (the three NTS teams [56, 57 and 60] were operated by two men) and sites are generally remote with home-to-site distances ranging from 9 to 75 miles, averaging 45 miles. Second, operators at Teams 51 and 52 were inexperienced in field work at the beginning of June. Another significant factor is that the portable system was designed in 1964; the first six units were built in 1965 and the last five were built in 1967 with some modification to the original design. Therefore, many of the electronic components are obsolete, have many operating hours, and are difficult to maintain under field conditions.

Table 2. Operational reliability of SDCS units by team, June - September 1977

Team No.	Site	Total Channel Hours	Outage Channel Hours	Outages Percent	Full Operation Percent	Remarks
51	FA-NV	7560	261	3.5	96.5	Full operation began 12 June; two-week training period prior to this time not included.
52	TQ-MS	7560	539	7.1	92.9	Full operation began 12 June; two week training period prior to this time not included.
53	GB-NM	8316	144	1.7	98.3	Full operations began 29 May.
56	YF-NV	11424	216	1.9	98.1	Includes outrigger.
57	YF4NV	11424	652	5.7	94.3	Includes outrigger.
58	HN-ME	17136	60	0.4	99.6	KS-36000 system.
59	RK-ON	17136	870	5.1	94.9	Complete SP & LP system.
60	OB2NV	11424	412	3.6	96.4	Includes outrigger.
	Total	91980	3154	3.4	96.6	

The TQ-MS site had the highest percentage of outage due to two factors: inexperience of the operator and continuing problems with the thermoelectric generators used to power the equipment. A majority of the outages at RK-ON were due to lightning damage to the solid-state amplifiers; the normal complement of spare units was inadequate for this major failure. At YF4NV, the major problem was also unavailability of a spare amplifier for the outrigger instrument. The site with lowest outage was HN-ME where the KS-36000 system is operated.

Table 3 shows that failure of the magnetic tape recorders resulted in 39% of the total outage reported. Failures in this unit are especially serious because up to six channel hours of data are lost for each hour the system is inoperative. More detailed analysis of the failures shows that the capstan drive motor caused more than one-third of all recorder-related outages. The solid-state amplifiers were the second highest cause of outage. However, at least half of these failures were due to unavoidable lightning damage as previously mentioned. Perhaps more significant than those items shown in table 3 are those not shown. The Model 19000 Timing System with its discrete transistor logic circuitry accounted for only eight channel hours of outage for the entire period. Also, there were no failures in either the SP (Model 18300) or the 2-kg LP (Models SL-210 and SL-220) seismometers. Another unexpectedly reliable piece of equipment is the diesel motor-generator used at RK-ON; two of these units have been operating alternately since RK-ON became operational in March 1975 and are continuing to perform with little major maintenance. Most notable is the operating history of the KS-36000 at HN-ME (S/N X001); this unit has been in continuous operation since December 1975 (over 15,000 hours) with one interruption to orient the holelock and modify the electronics.

#### 3.3.2 Action to Improve Reliability

The analysis of failures pointed out several areas where improvement could be achieved without major difficulty. Major categories are closer supervision, improvement of seismometer installation techniques, and equipment improvements.

#### 3.3.2.1 Supervision

Many of the routine problems in the field can be corrected by closer supervision of the operators and the data which they produce. The most important tool is a detailed quality control (QC) check of the tapes and documentation from each team. The QC procedures were relaxed somewhat during 1977 due to budgetary constraints; however, it is clear that future cost reduction should be made elsewhere. Another area is more thorough training of new operators. This can be done by having the new operator participate for some time in the QC process in Garland in order to learn proper operating and reporting techniques. Also, on-site training periods should be lengthened, with close supervision by support personnel. Finally, regular supervisory field trips should be made to all sites, whether the operator is experienced or not. All these procedures have been adopted for the follow-on program.

Table 3. Analysis of equipment failures,
June through September 1977

Component	Outage Channel Hours	Percentage Total Outage	Remarks
Magnetic Tape Recorder	1227	39	Approximately 1/3 of outage due to capstan motor failure.
Solid State Amplifier, SP and LP	910	29	Approximately 1/2 of outage due to lightning damage.
Photocell Amplifier	275	9	Used for teams 51, 52, and 53 only.
Thermoelectric Generator	206	6	Used for teams 51, 52, and 53 only.
Flooding, moisture in data circuits and misc. problems	536	17	Not complete outage; data questionable.
Total	3154	100	

#### 3.3.2.2 Seismometer Installation Techniques

The original concept of portable operations was to set up as quickly as possible, record for about one month, and then return the equipment to Garland. Toward this objective, seismometers were normally installed in small wooden vaults just below the surface. When the extended-type operation began in 1975, surface site emplacement techniques were not changed; however, existing bunker sites were used if available. While these techniques were adequate for most cases, site operations could be improved by installing better vaults. It is estimated that the outages due to flooding and moisture shown in table 3 could be reduced by about one-half. Also, a deeper vault would provide better quality data because the instruments would be more protected from wind noise.

#### 3.3.2.3 Equipment Improvements

The HN-ME operation using the KS-36000 instrument indicates that this instrument should be used at any station which is to be on-site long enough to justify its installation cost. Operations in shallow-holes in Garland and at Franklin, West Virginia (10 meters or less depth) indicate a significant improvement in data quality over normal surface installations. It might be possible to dig a shallow (5 to 10 meter) borehole at low cost using power company auger-type equipment.

Another obvious candidate for improvement is the tape recorder. Analog recording is likely to continue for some time to provide a reasonably reliable back-up for present digital recorders and those which will become available in the future. The Model 19429 recorders have been improved somewhat since the SDCS units were purchased, particularly in updating the FM electronics. However, the reliability experienced with the present discrete electronics does not justify their replacement. There have been no significant design improvements in the mechanical portions of the system which were responsible for the most of the outages. A major mechanical redesign is not feasible and therefore improved operations must be achieved by implementing more thorough maintenance procedures. Capstan motor failures were drastically reduced by use of better lubrication and by using approved installation techniques for the bearings. Improved methods of lubricating the gearbox and periodic inspections should reduce failures in this subassembly. Finally, each team should be furnished a more complete inventory of spare parts.

Outages due to solid-state amplifiers were increased because spare units were not available. The operation of the three NTS outriggers utilized three spare SP units from the unused HN-ME system and only four additional units were available to replace lightning damaged units at two sites. The termination of operations at two outrigger sites in September will probably eliminate this problem in the future.

#### 4. GARLAND SUPPORT

The engineering support and field support functions in Garland supported several routine projects during the course of the contract. These are discussed in the following paragraphs.

#### 4.1 ENGINEERING SUPPORT

The function of the engineering support task is to provide all necessary technical assistance to assure reliable and continuous operation of the SDCS units and to develop improved equipment as required. Much of the effort under this task was directed toward routine repair of defective equipment and maintenance of an adequate spare parts inventory. However, some effort was also directed toward equipment improvements and other tasks as described in the following paragraphs.

#### 4.1.1 Digital Recording System

Work to incorporate a digital recording system into the SDCS equipment complement began in early 1975 and was divided into four phases. First, a performance specification was developed for a specially modified recording system manufactured by Kinemetrics, Inc.; second, equipment was designed and built to provide the interface between the SDCS unit and the Kinemetrics System, Model DDS-1103. The third phase was assembly and testing and the fourth was installation of the completed units at five field sites.

The order for five DDS-1103 systems with special modifications was placed in May 1975 and the first two systems were delivered in September. During the interim period, the design and prototype testing were completed for the Interface Unit, Geotech P/N 42052. When the first two systems were delivered, they were immediately placed into operation to test the various prototype modules of the Interface Unit. At this time, several problems were discovered in the DDS-1103 system which required troubleshooting and correction by the vendor. Many of the difficulties were related to the special circuit modifications required for this program. One particularly troublesome problem was an intermittent failure in the shift register memory which was aggravated by the relatively slow sampling rate (20 sps) used for the SDCS units. This problem was noted occasionally during system tests and also during the installation phase from November 1975 through March 1976.

The installation of the system was relatively trouble free and operation of the system was quickly incorporated into the routine at FN-WV, CPO, HN-ME, RK-ON, and WH2YK. Minor operational problems in the DDS-1103 were resolved with the assistance of Kinemetrics but the memory problems continued. Several of the dual 2048 x 8 bit units were replaced under warranty, but the problem was not satisfactorily resolved until a unit of newer design was installed in one of the systems in December 1976. When proper operation of this new unit was verified, memories of three of the four remaining systems were replaced; the RK-ON system continued to operate properly with the old unit. At the end of the contract, all five systems were operating properly.

#### 4.1.2 Model 36000 Borehole Seismometer System

The Model 36000 (KS) systems were successfully used during the contract at PI2WY, FN-WV, HN-ME, and at Garland. Three of the systems are presently assigned to this program. During the contract period, there were several instances where maintenance was required, such as repair of damage caused by shipping (early in the program) or by lightning (at PI2WY and at FN-WV). For the most part, operations were routine once the system was installed.

Modifications to the system were developed as needed for the operations. Technical Report 75-2 thoroughly describes the modifications developed for the deep borehole operation. Another modification was made to the operating systems at HN-ME and FN-WV during March 1976. This modification involved a few circuit changes to reduce the level of the higher frequency data above 1 Hz by 14 dB while maintaining the higher gain in the LP passband. The modification successfully resolved the operational problem of excessive SP channel gains.

#### 4.1.3 Magnetic Tape Recorder, Model 19429

The FM magnetic tape recorders are operated at all SDCS sites; at those sites equipped with digital recorders, the analog units are the secondary recorders. Problems with the electronic sections have been minimal, despite the fact that the circuitry consists of obsolete, discrete components. As previously noted, the majority of problems with this unit are mechanical. When field units began to experience repeated failures in the capstan motors, a study was made to determine the cause. These tests showed that the normally inefficient hysteresis-synchronous motors were operating at temperatures high enough to cause failure of the lubricants being used. Also, it was discovered that the bearings were being installed improperly. Subsequently, bearings were lubricated with a high-temperature lubricant and improper installation techniques were corrected. At the close of the contract, the experienced failure rate had been significantly reduced.

#### 4.1.4 Helicorder, Model 12400

One of the particularly troublesome pieces of SDCS equipment has been the small Helicorder, Model 12400. The unit was designed in 1964 specifically for use in low-power applications. The mechanical sections have given good service, but the electronics sections required considerable maintenance. This continuing maintenance to the two printed circuit cards caused card damage and made maintenance even more difficult. During this program, the electronic circuitry was updated and simplified. After completion of bench testing, new printed circuit cards were manufactured and three units were modified. Operational reliability and maintainability was much improved.

#### 4.1.5 Battery Charger, Model 21160

Like other components of the portable system, the Battery Charger, Model 21160, was designed in 1964. It was specifically designed to charge the silver-zinc and silver-cadmium batteries of the system. The units were modified several times as system requirements changed. The last modification was for use with the inexpensive lead-acid automotive batteries which have shown to be satisfactory in most cases. Long term operations under this program showed that

the chargers needed further modifications to prevent overcharging of the batteries. Several alternative circuits were considered, but the problem was resolved when it was found that readily available commercial chargers would satisfy the requirements at a fraction of the cost to modify the old units. By the end of the contract period, six SDCS units had been outfitted with commercial chargers and battery problems were significantly reduced.

#### 4.2 FIELD SUPPORT

The function of the field support task is the supervision and support given to the field operators to assure continuous operation of all units. During this contract, activity under this task was continuous and generally routine. Work done included preparation and analysis of the data quality control reports and all activities related to selection of new SDCS sites as well as routine telephone contact with all operators at least once per week.

#### 4.2.1 Support Equipment

One of the major functions of this task is the support and control of the various vehicles and other related equipment assigned to the program as discussed in the following paragraphs. Table 4 shows the present status of support equipment assigned to the program.

#### 4.2.1.1 Recording Van

Only one Recording Van, Model 8513, remained assigned to the program. This unit has been on a standby status at the Garland, Texas, plant since June 1975. The van had been on loan to Contract C-0052 and recorded data at the McKinney, Texas, location. The van has been declared surplus to program requirements and is in the process of being disposed of. Appendix 2 shows the date and disposition of the 40 vans of the LRSM program.

#### 4.2.1.2 Generators

The two diesel generators at RK-ON have provided power for station operations throughout the report period. Both units have required repair work but the major portion of the repair has been confined to the generator while the engines have continued to operate satisfactorily. When the severe climatic conditions, remote location and the amount of operating time are considered, the reliability of these units is exceptional.

At the start of this program a 3 kW Kohler gasoline fueled generator was available as an emergency power unit. However, the unit was not reliable and required considerable repair and retrofit to restore it to operational status. The unit was declared surplus and sold to the highest bidder.

#### 4.2.1.3 Two and One-half Ton Truck

The 1966 Ford, Model F-800 truck was used to move the Model 8513 recording van. The unit was kept on standby in Garland and as long as the requirement to move the van existed, it was economical to keep the unit in readiness. The unit was sold in November 1976 when the possible requirement to move the van was removed.

Table 4. SDCS support equipment

Vehicles	Unit No.	Approx. Mileage (9-30-77)	Location
		(0 00 11)	<u> </u>
Pickup 3/4 ton Ford 1975	011-110	55,057	GB-NM
	011-111	69,675	RK-ON
	011-112	44,993	HN-ME
	011-113	101,135	GL-TX
	011-114	85,225	NTS
Pickup 3/4 ton Ford 1977	011-115	19,084	TQ-MS
	011-116	16,319	RB-CO
		391,488	
Van			
Model 8513	208		Geotech/Garland
Generators			
3 kW ONAN (diesel)	897069		RK-ON
3 kW ONAN (diesel)	897078		RK-ON

#### 4.2.1.4 Utility Trailer

The Krueger utility trailer assigned to the program was sold in November 1976 when the possibility for use was removed.

#### 4.2.1.5 Pickup Trucks

At the start of the report period, eleven 3/4 ton Chevrolet pickup trucks were assigned to the SDCS contract. Six of the units in poor condition were sold in January 1975 per instructions from the Project Office. Five new 1975 Ford units were leased in December 1975 to be used for the long-term field operation. The remaining units (four 1967 and one 1968 Chevrolet models) were retained during 1976 for possible use in a short-term deployment of the remaining SDCS teams. These vehicles were sold in November 1976 when the possibility of a deployment diminished and the operational condition of the older vehicles became more questionable. Finally, two new 1977 3/4-ton Ford pickups were leased in May 1977 when additional SDCS teams were deployed. At the close of the contract, six Ford units were in the field (four 1975 and two 1977 models) and the remaining 1975 Ford was being returned to Garland with the Team 51 equipment. This vehicle is scheduled for sale in the near future. All trucks have the beds enclosed by camper shells. Most of the campers were in good condition but those installed on units operating in rough country were showing signs of wear.

#### 4.2.2 Field Team History and Site Information

Another function of the field support task is the regular updating of the Field Team History and the Site Information listings which began with the LRSM program in the early 1960s. The Field Team History list primarily shows information pertaining to the operational dates for each site. The Site Information list gives particulars of the individual sites such as the geographical coordinates, elevation, distance from the Nevada Test Site and orientation azimuths of the horizontal seismometers. The latest Field Team History listing is included as Appendix 3 and the Site Information list is included as Appendix 4 to this report.

# APPENDIX 1 SUMMARY OF EVENT REPORTS

# SUMMARY OF EVENT REPORTS

Report No.	<u>Title</u>
SDCS-ER-75-1	Kamchatka, 06 April 1975
SDCS-ER-75-2	Northeastern China, 25 February 1975
SDCS-ER-75-3	North Atlantic Ocean, 26 February 1975
SDCS-ER-75-4	NTS Event "OBAR", 30 April 1975
SDCS-ER-75-5	Western Kazakh, 25 April 1975
SDCS-ER-75-6	Eastern Kazakh, 27 April 1975
SDCS-ER-75-7	Confidential
SDCS-ER-75-8	Eastern Kazakh, 20 February 1975
SDCS-ER-75-9	NTS Event "TOPGALLANT", 28 February 1975
SDCS-ER-75-10	NTS Event "TYBO", 14 May 1975
SDCS-ER-75-11	NTS Event "CABRILLO", 07 March 1975
SDCS-ER-75-12	Eastern Kazakh, 11 March 1975
SDCS-ER-75-13	Central Kazakh SSR, 28 February 1975
SDCS-ER-75-14	Afghanistan-USSR Border Region, 03 March 1975
SDCS-ER-75-15	Southern Iran, 07 March 1975
SDCS-ER-75-16	Kurile Islands, 23 March 1975
SDCS-ER-75-17	Eastern Idaho, 28 March 1975
SDCS-ER-75-18	NTS Event "MAST", 19 June 1975
SDCS-ER-75-19	NTS Event "DINING CAR", 05 April 1975
SDCS-ER-75-20	NTS Event "EDAM", 24 April 1975
SDCS-ER-75-21	NTS Event "MIZZEN", 02 June 1975
SDCS-ER-75-22	NTS Event "STILTON", 03 June 1975
SDCS-ER-75-23	Kurile Islands, 23 March 1975
SDCS-ER-75-24	Eastern Kazakh, 08 June 1975
SDCS-ER-75-25	NTS Event "CAMEMBERT", 26 June 1975
SDCS-ER-75-26	Eastern Kazakh, 30 June 1975
SDCS-ER-75-27	Tadzhik SSR, 09 April 1975
SDCS-ER-75-28	Eastern Kashmire, 28 April 1975
SDCS-ER-75-29	Southern California, 01 June 1975
SDCS-ER-75-30	Yellowstone National Park, Wyoming, 30 June 1975
SDCS-ER-75-31	Gulf of California, 08 July 1975
SDCS-ER-75-32	Eastern Kazakh, 07 August 1975

# SUMMARY OF EVENT REPORTS (continued)

Donout No	Ti+1o
Report No.	<u>Title</u>
SDCS-ER-75-33	Central Siberia, 12 August 1975
SDCS-ER-75-34	Novaya Zemlya, 23 August 1975
SDCS-ER-75-35	Mexico, 23 April 1975
SDCS-ER-75-36	Japan, 04 May 1975
SDCS-ER-75-37	Mexico, 04 May 1975
SDCS-ER-75-38	Japan, 06 May 1975
SDCS-ER-75-39	Central Siberia, 29 September 1975
SDCS-ER-75-40	NTS Event "MARSH", 06 September 1975
SDCS-ER-75-41	NTS Event "KASSERI", 28 October 1975
SDCS-ER-75-42	Komandorsky Islands Regions, 15 August 1975
SDCS-ER-75-43	Mexico-Guatemala Region, 22 August 1975
SDCS-ER-75-44	Near East Coast of Eastern Russia, 16 May 1975
SDCS-ER-75-45	Southern Sinkiang Province, 27 October 1975
SDCS-ER-75-46	Unimak Island Region, 16 May 1975
SDCS-ER-75-47	Northern Colombia, 23 June 1975
SDCS-ER-75-48	Eastern Kazakh, 05 October 1975
SDCS-ER-75-49	Central Mid-Atlantic, 07 October 1975
SDCS-ER-75-50	Peru, 16 August 1975
SDCS-ER-75-51	Novaya Zemlya, 18 October 1975
SDCS-ER-75-52	Northern California, 01 August 1975
SDCS-ER-75-53	Kashmir-Tibet Border Region, 19 May 1975
SDCS-ER-75-54	Central America, 15 July 1975
SDCS-ER-75-55	Novaya Zemlya, 21 October 1975
SDCS-ER-75-56	Kurile Islands, 19 May 1975
SDCS-ER-75-57	Puerto Rico Region, 17 June 1975
SDCS-ER-75-58	Gulf of Alaska, 25 May 1975
SDCS-ER-75-59	North Atlantic Ocean, 26 May 1975
SDCS-ER-75-60	Near Coast of Venezuela, 08 June 1975
SDCS-ER-75-61	Gulf of California, 14 June 1976
SDCS-ER-75-62	Peru-Bolivia Border Region, 12 July 1975
SDCS-ER-75-63	Baja California, 28 July 1975
SDCS-ER-75-64	Peru-Ecuador Border, 06 June 1975
SDCS-ER-75-65	Near Coast of Northern California, 07 June 1975

### SUMMARY OF EVENT REPORTS (continued)

Report No.	<u>Title</u>
SDCS-ER-75-66	Minnesota, 09 July 1975
SDCS-ER-75-67	NTS Event "HUSKY PUP", 24 October 1975
SDCS-ER-75-68	Eastern Kazakh SSR, 25 December 1975
SDCS-ER-75-69	Turkey, 06 September 1975
SDCS-ER-75-70	Eastern Kazakh, 29 October 1975
SDCS-ER-75-71	NTS Event "INLET", 20 November 1975
SDCS-ER-75-72	Confidential
SDCS-ER-75-73	NTS Event "LEYDEN", 26 November 1975
SDCS-ER-75-74	Hawaiian Islands, 29 November 1975
SDCS-ER-75-75	Vancouver Island Region, 11 December 1975
SDCS-ER-75-77	NTS Event "CHIBERTA", 20 December 1975
SDCS-ER-75-78	Greece, 21 December 1975
SDCS-ER-76-79	NTS Event "MUENSTER", 03 January 1976
SDCS-ER-76-80	Peru, 05 January 1976
SDCS-ER-76-81	Off Coast of Oregon, 10 January 1976
SDCS-ER-76-82	Eastern Kazakh SSR, 15 January 1976
SDCS-ER-76-83	Guatamala, 04 February 1976
SDCS-ER-76-84	NTS Event "KEELSON", 04 February 1976
SDCS-ER-76-85	NTS Event "ESROM", 04 February 1976
SDCS-ER-76-86	NTS Event "FONTINA", 12 February 1976
SDCS-ER-76-87	NTS Event "CHESHIRE", 14 February 1976
SDCS-ER-76-88	Andreanof Islands, Aleutian Islands, 08 March 1976
SDCS-ER-76-89	NTS Event "ESTUARY", 09 March 1976
SDCS-ER-76-90	NTS Event "COLBY", 14 March 1976
SDCS-ER-76-92	NTS Event "STRAIT", 17 March 1976
SDCS-ER-76-93	Eastern Kazakh SSR, 20 March 1976
SDCS-ER-76-94	Northern Sinkiang Province, China, 20 March 1976
SDCS-ER-76-96	North Atlantic Ridge, 28 March 1976
SDCS-ER-76-97	North Atlantic Ocean, 31 March 1976
SDCS-ER-76-98	UZBEK SSR, 08 April 1976
SDCS-ER-76-99	Fox Islands, Aleutian Islands, 12 April 1976
SDCS-ER-76-100	Eastern Kazakh SSR, 21 April 1976
SDCS-ER-76-101	Eastern Kazakh SSR, 21 April 1976

#### SUMMARY OF EVENT REPORTS (continued)

Report No.	Title
SDCS-ER-76-102	Northern Italy, 06 May 1976
SDCS-ER-76-103	UZBEK SSR, 17 May 1976
SDCS-ER-76-104	Eastern Kazakh SSR, 19 May 1976

APPENDIX 2
DISPOSITION OF LRSM VANS

### DISPOSITION OF LRSM VANS

	Van				
Team	No.	Location	Date		Disposition or Transferred to
1	212		03 January	1966	T/6058
2	215		15 December	1964	USGS
3	208	GL-TX	November	1977	Sold to highest bidder
4	203		09 April	1965	AFTAC
5	233		09 April	1965	AFTAC
6	225		15 December	1964	USGS
7	237		03 January	1966	T/6058
8	232		25 August	1971	University of California (Berkeley)
9	207		02 February		USC&GS
10	224		09 April	1965	AFTAC
11	214		19 December		AF Weapons Lab, Albuquerque, N.M.
12	220		30 December	1964	USGS
13	213		22 July	1969	Canadian Transpt Agent (DOT)
14	209		09 April	1965	AFTAC
15	229		22 December		AF Weapons Lab, Albuquerque, N.M.
16	236		06 December		USC&GS
17	234		03 January		T/6058
18	235		06 Septembe		Destroyed by fire
19	230		15 February		OSR (La Paz)
20	216		01 April	1965	OSR (Norway)
21	226		23 November		USC&GS
22	227		07 January		USGS
23	228		17 January		Corps of Engineers
24	202		30 November		WFO
25	221		03 January		T/6058
26	204		25 November		WFO
27	205		10 December		AFOSR (U. of Washington)
28	206		11 March	1974	SMU
29	201		30 November		T/5003
30	223		23 August	1971	Develco, Inc.
31	231		31 December		VT/5051 (to C-0121 to USGS)
32	239		17 March	1964	Destroyed by fire
33	211		23 November		USC&GS
34	217		02 March	1965	OSR (Germany)
35	210		25 August	1971	University of California (Berkeley)
36	219		29 March	1974	University of Alaska
37	240		11 January		Destroyed by accident
38	222		June	1969	C-0121 (to USGS)
39	238		31 January	1966	AFCRL
40	218		22 March	1966	USC&GS

APPENDIX 3

LRSM - SDCS FIELD TEAM HISTORY

### THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY FURNISHED TO DDC

LRSM - SDCS FIELD TEAM HISTORY

1	EAM	ARRIVAL DATE	OPERATIO SP	NAL DATE LP	SITE CLOSED	DEPARTURE DATE	T	S	P	I	SPEC OP STATUS
30	-AOMA	17JUN65	02JUL65	11JUL65	31AUG65	09SEP65	V	Т	Y	s	
55	AA-IS	07JUL67	12JUL67	*****	08SEP67	13SEP67	Т	Т	N	G	PORT SYS
50 40	AC-IS AD-IS	26JUN67 23JUN64	05JUL67 24JUL64	06JUL67 05AUG64	10SEP67 22MAR66	11SEP67	T	T	N Y	G	PORT SYS
40 50	AD-IS AE-NC	TRANSFD 09DEC66	TO 16DEC66	USCGS 16DEC66	ON 20DEC66	22MAR66 21UEC66	T	Ţ	N	G	PORT SYS
52 32	AE-NC AI-NB	14JAN68 290CT62	19JAN68 07N0V62	19JAN68 ******	19JAN68 12DEC62	19JAN68 17DEC62	V	T	N	G L	PORT SYS
22 22 40	AK-OK AL-OK AM-OK	11JUN62 01JUL62	17JUN62 04JUL62	****** 09DEC61	28JUN62 11JUL62	30JUN62 12JUL62 24DEC61	T	T	N	L	
30 16	AN-MA AP-OK	17N0V61 060CT64 20SEP63	08DEC61 16N0V64 25SEP63	02DEC64 020CT63	20DEC61 11JUN65 31DEC63	17JUN65 05JAN64	V	T P T	Y	S	16NOV64DW 25SEP63DW
16 39	AP-OK AP-OK	20APR65 25NOV65	05MAY65 09DEC65	******	19SEP65 13JAN66	23SEP65 17JAN66	V	Ť	Y	S	O5MAY65DW DW
39 10	AP-OK AR-WS	TRANSFD 30MAY62	T0 06JUN62	AFCRL	31JAN66 050CT62	070CT62	T	T	N	*	
51 37	AS-PA AT-NV	17AUG69 31DEC61	26AUG69 15JAN62	26AUG69	100CT69 14MAY62	110CT69 19MAY62	T M	T P	Y	G	PORT SYS
07 60	AT-NV AT-NV	03APR63 08APR68	23APR63 13APR68	23APR63 13APR68	12JUL63 26APR68	22JUL63 26APR68	M V	T	Y N	S	PORT SYS
51 21	AX-AL AX2AL	01DEC65 07MAR66	03DEC65 24MAR66	11DEC65 24MAR66	13DEC65 16JAN67	14DEC65 28JAN67	T V	P	N Y	G L	PORT SYS
51 21 32	AX2AL AY-SD AZ-TX	12JAN68 12JUL62 19JUL63	19JAN68 14JUL62 28AUG63	19JAN68 14JUL62 28AUG63	19JAN68 050CT62 06MAR64	19JAN68 080CT62	V T V	T	N N	G L L	PORT SYS
32	AZ-1A	1900203	2040003	2040003	OOMANOA			•	"		
26 24	BA-WS BB-PA	060CT62 10AUG62	110CT62 16AUG62	******	270CT62 050CT62	310CT62 060CT62	T	T	Y	L	
28 15	BD-PA BE-FL	14DEC62 12SEP65	22DEC62 070CT65	170CT65	21MAR63 16JAN67	24MAR63 23JAN67	V	T	Y	S	
54 54	BE-FL BE-FL	12JAN68 15AUG69	17JAN68 21AUG69	17JAN68 21AUG69	19JAN68 100CT69	20JAN68 110CT69	V	T	N Y	G	PORT SYS
54 54	BE-FL BE-FL	17SEP71 30APR73	23SEP71 07MAY73	23SEP71 07MAY73	09N0V71 22MAY73	10NOV71 23MAY73	T	T	N N Y	G	PORT SYS
34 32 34	BF-CL BF-CL BF-CL	22DEC61 05APR63 070CT61	08JAN62 19APR63 280CT61	08JAN62 ****** 280CT61	23APR62 09JUL63 06NOV61	25APR62 16JUL63 09N0V61	V	T	N Y	L	
58 18	BF-CL BG-ME	09APR68 210CT61	15APR68 04N0V61	15APR68 04NOV61	26APR68 01AUG62	29APR68 08AUG62	V	Ť	N	G	PORT SYS
53 50	BH-YK BH-YK	080CT65 13AUG68	160CT65 20AUG68	160CT65 20AUG68	15NOV65 09SEP68	16N0V65 10SEP68	T	T	N N	G	PORT SYS
19 24	BI-VA BK-AR	300CT62 02JUL62	07N0V62 06JUL62	12NOV62	12DEC62 11JUL62	17DEC62 12JUL62	T	T	Y N	L	
22 15	BK-AR BL-WV	03FEB63 04N0V61	12FEB63 13DEC61	02APR63 13DEC61	10APR63 23JUL65	12APR63 03AUG65	V	P	Y	S	2007 645
50 07 53	BL-WV BM-TX BO-AL	26MAY66 27DEC61 01DEC65	31MAY66 20JAN62 02DEC65	31MAY66 20JAN62	03JUN66 15FEB62 13DEC65	03JUN66 18FEB62 14DEC65	VVT	T	N Y N	G S G	PORT SYS
37 50	BP-CL BP-CL	03APR63 26AUG66	16APR63 27AUG66	07DEC65 16APR63	18JUL63 09SEP66	25JUL63 10SEP66	V	T	N	L	PORT SYS
<b>53</b> 55	BP-CL BP-CL	08APR68 15AUG69	13APR68 29AUG69	13APR68 29AUG69	26APR68 100CT69	28APR68 110CT69	V	T	N N	G	PORT SYS
59 53	BP-CL BQ-AK	29APR73 29JUN67	08MAY73 06JUL67	08MAY73	22MAY73 10SEP67	23MAY73 11SEP67	T	T	N	G	PORT SYS
24 16	BR-PA BS-MA	17DEC62 130CT67	30DEC62 280CT67	17APR63 280CT67	23JUL65 10DEC67	03AUG65 14DEC67	V	P	Y	S	
03 28	BU-QB BV-PA	20JUL62 01N0V62	24JUL62 08NOV62	******	050CT62 12DEC62	070CT62 14DEC62	T	T	N	S L	
28 59	BY-IO	21JUL63 15AUG69	08AUG63 28AUG69	31AUG63 26AUG69	18MAR64 100CT69	21MAR64 110CT69	V	T	N	G	PORT SYS
55	CC-WA	280CT67	08N0V67	08N0V67	29JUL68	30JUL68	M	Ţ	Y	G	PORT SYS
05 26	CE-WA CF-WS	090CT62 310CT62	150CT62 04N0V62	******	270CT62 12DEC62	02N0V62 17DEC62	Ţ	T	N Y	S L	
19 26 51	CG-VA CG-VA CH-MT	27MAY62 27MAY65 040CT65	01JUN62 10JUN65 220CT65	15JUN65 220CT65	28JUN62 23JUL65 09NOV65	30JUN62 30JUL65 12NOV65	V	TTTT	YN	L	PORT SYS
	J.,	0,00100	2200100	2200100	02.10100						

## THIS PAGE IS BEST QUALITY PRACTICABLE

	TEAM	ARRIVAL DATE	OPERATIO SP	NAL DATE	SITE	DEPARTURE DATE	T	S	Р	<u>I</u>	SPEC OP STATUS
54 19	CH-MT CI-VA	15DEC66 090CT62	SETUP 150CT62	INCOMP	20DEC66 270CT62	22DEC66 300CT62	Ţ	T	N N	G L	PORT SYS
37 55	CK-BC CL-ID	19JUL62 21MAY66	22JUL62 23MAY66	*****	050CT62 24MAY66	080CT62 24MAY66	M	T	N	G	PORT SYS
26	CN-WS	08MAY62	10MAY62	*****	28JUN62	01JUL62	V	Ť	Y	L	FOR1 313
21	CO-SD	30JUN62	06JUL62	*****	11JUL62	12JUL62	T	T	Y	L	
33	CP-CL	14SEP61	100CT61	100CT61	01MAR64	05MAR64	٧	P	Y	L	
	CP-CL	070CT65	260CT65	260CT65	13N0V65	17NOV65	٧	Ţ	Y	S	DODT CVC
55	CP-CL	23FEB66	26FEB66 01AUG67	01MAR66	12MAR66 06AUG67	13MAR66 09AUG67	V	T P	N	S	PORT SYS
16 51	CP-CL CP-CL	10JUL67 07APR68	18APR68	01AUG67 18APR68	26APR68	28APR68	V	T	N	G	PORT SYS
57	CPO	09FEB75	14MAR75	14MAR75	28JUL76	31JUL76	V	P	Y	J-G	PORT SYS
54	CQ-NV	270CT67	01NOV67	01NOV67	10DEC67	11DEC67	M	T	N	G	PORT SYS
37	CR-NB	140CT65	260CT65	01NOV65	140CT66	210CT66	V	Ţ	Y	L	DODT CVC
53	CR2NB CR2NB	14AUG69	22AUG69	22AUG69 26SEP71	100CT69 09NOV71	110CT69 10NOV71	T	T	Y	G	PORT SYS
60 53	CR2NB	17SEP71 29APR73	26SEP71 05MAY73	05MAY73	22MAY73	23MAY73	Ť	Ť	Y	G	PORT SYS
27	CS-TN	21DEC62	01JAN63	*****	21MAR63	26MAR63	Ť	Ť	Y	Ĺ	
22	CT-OK	12JUL62	14JUL62	*****	050CT62	060CT62	T	T	Y	L	
07	CU-NV	24JUL63	09SEP63	10SEP63	09MAR64	13MAR64	٧	Ţ	N	S	
27 07	CV-TN CV-TN	12JUL62 17NOV61	15JUL62 25NOV61	****** 25N0V61	050CT62 20DEC61	060CT62 22DEC61	V	T	Y	LS	
27	CW-AR	15NOV61	10DEC61	*****	16DEC61	26DEC61	v	Ť	Y	Ĺ	
24	CW-AR	08MAY62	09MAY62	*****	09JUN62	10JUN62	V	T	Y	L	
32	CY-WY	30JUN62	06JUL62	*****	11JUL62	12JUL62	T	T	N	L	
17	DH-NY	200CT61	280CT61	13N0V61	15NOV65	18N0V65	٧	P	Y	S	
17 55	DH-NY DH-NY	TRANSFD 26MAY66	T0 31MAY66	T/6058 31MAY66	03JAN66 03JUN66	03JUN66	٧	Т	N	G	PORT SYS
50	DI-MA	20MAY66	23MAY66	*****	24MAY66	24MAY66	٧	Ť	N	G	PORT SYS
21	DL-SD	18DEC62	28DEC62	*****	21MAR63	24MAR63	T	T	N	L	
28	DP-NY	02JUL62	07JUL62	*****	17JUL62	20JUL62	T	Ţ	N	L	
12	DR-CO	11SEP61	010CT61	170CT61	30DEC64	******	V	Р	Y	S	
12 27	DR-CO DU-OK	TRANSFD 24JUL63	T0 14AUG63	USGS 10SEP63	ON O9MAR64	30DEC64 12MAR64	٧	T	Y	L	
31	DV-CL	29DEC61	20JAN62	*****	23APR62	28APR62	М	Ť	Ņ	ī	
08	EB-MT	28JUN63	06AUG63	06AUG63	12AUG64	17AUG64	٧	Ţ	Y	S	
50	ED-MI	01DEC65	02DEC65	08DEC65	13DEC65	14DEC65	T	T	N	G	PORT SYS
27 23	EF-TX EK-NV	27DEC61 240CT63	25JAN62 11NOV63	07DEC63	03MAY62 02N0V64	05MAY62 09NOV64	V	T	Y	L	11JAN64DW
37	EL-WA	21MAY62	28MAY62	*****	28JUN62	30JUN62	Ť	Ť	N	L	110111101011
50	EM-KA	13SEP65	14SEP65	*****	16SEP65	17SEP65	T	T	N	G	PORT SYS
52	EN-MO	12SEP65	15SEP65	*****	16SEP65	17SEP65	٧	Ţ	Y	G	PORT SYS
21 56	EN-MO EO2TX	140CT65 12MAR68	250CT65 15MAR68	11NOV65	25FEB66 26MAR68	03MAR66 26MAR68	V	T	Y	L	PORT SYS
26	EP-TX	27DEC61	15JAN62	*****	04MAY62	05MAY62	V	Ť	Y	Ľ	rokt 515
50	ER300	THROUGH	ER304	03JUL66	THROUGH	29JUL66	T	T	N	G	EARLYRISE
50	ER306	THROUGH	ER319	03JUL66	THROUGH	29JUL66	I	Ţ	N	G	EARLYRISE
54	ER201	THROUGH	ER242 ER101	03JUL66	THROUGH	29JUL66 29JUL66	T	T	N	G	EARLYRISE EARLYRISE
03	ER120 ES-ON	THROUGH 310CT62	12NOV62	04JUL66	07DEC62	10DEC62	Ť	Ť	N	S	EARLINISE
09	EU-AL	21JUN63	02JUL63	19AUG63	220CT64	240CT64	V	T	Y	S	
09	EU-AL	TRANSFD	TO	USCGS	ON	02FEB65					
38	EU2AL	260CT66	12N0V66	12N0V66	16JAN67	31JAN67	V	P	Y	S	DODT CHE
58	EU2AL	14AUG69	27AUG69	27AUG69	100CT69	110CT69 24SEP63	T B	T	Y	G	PORT SYS 28JUN63DW
23 05	EW-IS EY-NV	14JUN63 05APR63	28JUN63 21APR63	17JUL63	13SEP63 10JUN63	16JUN63	V	T	N	L	2000N030W
54	EY-NV	15APR68	19APR68	19APR68	26APR68	27APR68	V	Ť	N	G	PORT SYS
50	EY2NV	24FEB66	01MAR66	*****	12MAR66	13MAR66	٧	T	N	G	PORT SYS
51	FA-NV	28MAY77	03JUN77	*****	30SEP77	30SEP77	T	Ţ	N	GS	PORT SYS
36	FB-AK	05AUG68	03SEP68	100CT68	100CT69	01MAY70	V		Y		ALPA TX
36 36	FB2AK FB2AK	01MAY70 TRANSFD	****** T0	09JUN70 UNIV	14JUN71 ALASKA	*****	٧	T	N	-	ALPA TX
53	FH-PM	06N0V66	14NOV66	14NOV66	20DEC66	22DEC66	T	Т	N	G	PORT SYS
36	FK-CO	040CT66	17NOV66	17N0V66	26JUN67	06JUL67	٧	T	Y	L	SILO
26	FL-BC	12SEP65	220CT65	220CT65	15NOV65	19N0V65	٧	T	N	L	
26	FL-BC	TRANSFD	TO	WFO	ON	25N0V65 10SEP68	v	-	N		PORT SYS
51 02	FL-BC FM-UT	21AUG68 12SEP61	30AUG68 070CT61	30AUG68	09SEP68 10JUN63	14JUN63	V	P	N	G	PURI 313
52	FM-UT	22FEB66	02MAR66	02MAR66	12MAR66	13MAR66	V	T	N	G	PORT SYS

# THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY FURNISHED TO DDC

	TEAM	ARRIVAL DATE	OPERATION SP	DNAL DATE	SITE	DEPARTURE DATE	T	s	P	1	SPEC OP STATUS
39	FN-WV	17APR64	04MAY64	*****	28AUG64	01SEP64	٧	T	Y	S	23MAY64DW
39	FN-WV	14MAY65	03JUN65	270CT65	12NOV65	19N0V65	v	Ť	Ÿ	S	03JUN65DW
56	FN-WV	24MAR75	27MAY75	27MAY75	28JUL76	16AUG76	W	P	Y	K-S	PORT SYS
16	FO-TX	22MAY64	21JUN64	*****	12APR65	19APR65	٧	T	Y	S	30JUN64DW
05	FR-MA	24JUN63	07JUL63	07JUL63	05AUG64	08AUG64	٧	T	Y	S	
20	FS-AZ	11SEP61	140CT61	140CT61	12MAY63	16MAY63	٧	P	N	L	
51	FS-AZ	22FEB66	27FEB66	01MAR66	12MAR66	14MAR66	٧	T	N	G	PORT SYS
39	FT-BC	02N0V62	16NOV62	******	09DEC62	17DEC62	Ţ	Ţ	N	L	DODT CHE
56	GA-TX	080CT68	160CT68	180CT68	23APR69	23APR69	٧	Ţ	N	G	PORT SYS
60 60	GA-TX GA-TX	110CT68 07JAN70	23MAR70	250CT68 13MAR70	23APR69 11AUG70	23APR69 11AUG70	V	T	N	G	PORT SYS
59	GA3TX	010CT71	010CT71	*****	10NOV71	10NOV71	T	Ť	Ý	-	PORT SYS
53	GB-NM	27MAY77	29MAY77	*****	10110171	10110171	Ť	Ť	Ý	G	PORT SYS
05	GC-WA	03NOV62	08N0V62	*****	12DEC62	03JAN63	T	T	N	S	10111 010
19	GD-VA	19JUL62	21JUL62	*****	050CT62	090CT62	Ť	Ť	Y	L	
37	GE-AZ	29MAR64	09APR64	09APR64	040CT65	070CT65	v	Ť	N	ī	
37	GF-NV	25JAN63	08FEB63	*****	29MAR63	02APR63	M	T	N	L	
34	GG-GR	21JUN63	20AUG63	04SEP63	02MAR65	*****	٧	T	N	L	20AUG63AR
34	GG-GR	TRANSFD	TO	DSR	ON	02MAR65					
50	GH-MS	14AUG69	22AUG69	22AUG69	100CT69	110CT69	T	T	Y	G	PORT SYS
02	GI-MA	25JUN63	17JUL63	14AUG63	05AUG64	08AUG64	٧	T	Y	S	
03	GL-TX	07JUN72	*****	*****	*****	04MAY73					STANDBY
03	GL-TX	31AUG70	*****	*****	*****	08JAN71					STANDBY
28	GL-TX	17AUG71		(STANDBY)		00114174					
28	GL-TX	TRANSFD	TO	SMU 19JAN68	1014460	08NAY74	.,	-		•	TECT CITE
56 30	GL-TX GM-CU	17JAN68 09SEP63	19JAN68 19NOV63	14JAN64	19JAN68 03MAR64	19JAN68 05MAR64	V	T	N	G S	TEST SITE 26NOV63DW
09	GN-NM	02JAN62	08JAN62	*****	15FEB62	17FEB62	v	Ť	N	S	2011010301
32	GO-NB	17DEC62	28DEC62	*****	21MAR63	24MAR63	T	Ť	Y	Ĺ	
06	GP-MN	12AUG64	02SEP64	18SEP64	01DEC64	*****	v	Ť	Ý	S	
06	GP-MN	TRANSFD	T0	USGS	ON	15DEC64	•	•		•	
54	GR2TX	16MAY67	19MAY67	19MAY67	23MAY67	23MAY67	T	T	N	G	PORT SYS
55	GRITX	16MAY67	19MAY67	19MAY67	23MAY67	23MAY67	T	T	N	G	PORT SYS
28	GT-PA	22MAY62	31MAY62	*****	28JUN62	30JUN62	٧	T	Y	L	
31	GV-TX	18MAY62	02JUN62	02JUN62	31DEC65	*****	٧	P	Y	L	28JUN62DW
31	GV-TX	TRANSFD	TO	VT/5051	ON	31DEC65					
26	GY-MN	02JUL62	05JUL62	*****	11JUL62	12JUL62	T	T	N	L	
57	GZ-OH	17AUG69	23AUG69	23AUG69	100CT69	110CT69	T	1	Y	G	PORT SYS
				*****	1010000	1040000		-	.,	•	
16	HB-OK	230CT61	09N0V61		10APR63	13APR63	V	Ţ	Y	S	25SEP64DW
39 26	HD-PA HE-TX	03SEP64 02JUL63	25SEP64 25JUL63	24NOV64	25JAN65 16MAR64	02FEB65 20MAR64	v	T	N	S L	09AUG63DW
06	HH-ND	28JUN63	22JUL63	22JUL63	05AUG64	08AUG64	v	Ť	Y	S	USAUGUSUM
51	HH2ND	21MAY66	23MAY66	31MAY66	03JUN66	03JUN66	Ť	Ť	N	Ğ	PORT SYS
32	HK-WY	12JUL62	17JUL62	*****	050CT62	080CT62	Ť	Ť	N	Ľ	
01	HL-ID	040CT61	140CT61	240CT61	07MAR64	08MAR64	M	P	Y	L	
01	HL2ID	09MAR64	29MAR64	29MAR64	23JUL65	30JUL65	M	P	Y	L	
01	HL2ID	14SEP65	070CT65	070CT65	15NOV65	18N0V65	M	T	Y	L	
01	HL2ID	TRANSFD	TO	T/6058	03JAN66						
38	HL2ID	15JUL67	09AUG67	09AUG67	10DEC67	20DEC67	M	P	Y	S	
57	HL2ID	21AUG68	27AUG68	27AUG68	09SEP68	10SEP68	M	I	N	G	PORT SYS
39	HM-BC	20JUL62	26JUL62	*****	050CT62	160CT62	Ţ	Ţ	N	L	
18	HN-ME	09AUG62	22AUG62	23AUG62	06SEP66	*****	٧	P	Y	S	
18	HN-ME	TRANSFD	OUT	OF OF OCT CC	PROGRAM	06SEP66				•	
30	HN-ME	30SEP66	210CT66	250CT66	04FEB71	10FEB71	٧	P	Y	S	
30 55	HN-ME HN-ME	TRANSFD	TO 2755 P.71	DEVELCO 27SEP71	INC 10NOV71	23AUG71 11NOV71	T	-	Y	G	PORT SYS
55	HN-ME	18SEP71	27SEP71 10MAY73	10MAY73	22MAY73	23MAY73	Ť	T	Y	G	PORT SYS
58	HN-ME	27APR73 05FEB75	20FEB75	20FEB75	11DEC75	11DEC75	Ť	P	Ý	G	PORT SYS
58	HN-ME	11DEC75	11DEC75	11DEC75	1102073	1102075	Ť		Y	KS	PORT SYS
21	HR-AZ	19JUN64	10JUL64	10JUL64	040CT65	070CT65	v	P	N	L	10K1 313
32	HS-NB	08MAY62	09MAY62	*****	28JUN62	30JUN62	v	Ť	Y	i	
26	HT-MN	31JUL62	02AUG62	*****	050CT62	060CT62	T	Ť	N	L	
23	HV-MA	30SEP65	250CT65	250CT65	31DEC65	12JAN66	v	Ť	Y	ī	
23	HV-MA	TRANSFD	TO	CORPS	ENGRS	17JAN66				A STATE OF	
37	HV-MA	10JUL67	03AUG67	03AUG67	10DEC67	15DEC67	٧	P	Y	L	
58	HV-MA	21AUG68	30AUG68	30AUG68	09SEP68	10SEP68	V	T	N	G	PORT SYS
22	HW-IS	24MAY63	24JUL63	07SEP63	220CT64	07DEC64	٧	T	Y	L	24JUL63AR
22	HW-IS	TRANSFD	TO TO	USGS	ON	07JAN65					
23	HY-MA	09NOV64	30N0V64	30NOV64	19SEP65	28SEP65	٧	P	Y	L	16JAN65DW
52	IC-GL	24JUN66	06JUL66	29APR67	28AUG67	02SEP67	Ţ	T	N	G	PORT SYS
22	IK-AR	01NOV62	10N0V62	*****	13DEC62	14DEC62	T	T	Y	L	

### THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY FURNISHED TO DDC

	TEAM	ARRIVAL DATE	OPERATIO SP	NAL DATE	SITE	DEPARTURE DATE	Ţ	S	Р	1	SPEC OP STATUS
29	JE-LA	U1FEB64	06FEB64	12FEB64	23N0V64	27N0V64	٧	Т	Y	L	
29	JE-LA	TRANSFD	TO	T/5003	ON	30N0V64		_			
37	JE-LA	250CT66	16N0V66	16N0V66	16JAN67	24JAN67	٧	P	Y	L	
09	JN-15	09MAR62	31MAR62	******	02AUG62	SEP62 31JUL62	B	Ţ	Y	S	
26 33	JO-MN JP-AT	12JUL62 130CT65	13JUL62 230CT65	230CT65	30JUL62 14SEP66	23SEP66	v	T	N	L	
56	JP-AT	21AUG68	29AUG68	29AUG68	09SEP68	10SEP68	v	Ť	N	G	PORT SYS
38	JR-AZ	14MAR64	30/1AR64	30MAR64	040CT65	080CT65	V	Ť	Y	L	19JAN65AR
09	JS-TN	17NOV61	11DEC61	*****	19DEC61	22DEC61	٧	T	Y	S	
27	JS-TN	07MAY62	10MAY62	*****	28JUN62	02JUL62	٧	T	Y	L	
26	JU-TX	20MAR64	04APR64	29APR64	11AUG64	SEP64	٧	T	Y	L	06APR64DW
16	KC-110	24SEP65	170CT65	270CT65	16JAN67	22JAN67	٧	Т	Y	S	
27	KG-AZ	02APR63	19APR63	20APR63	11JUL63	22JUL63	٧	T	N	L	
57	KG-AZ	08APR68	10APR68	11APR68	26APR68	27APR68	٧	T	N	G	PORT SYS
21	KH-AZ	14MAR64	02APR64	04APR64	18JUN64	19JUN64	٧	Ţ	N	L	
21	KM-CL	05APR63	29APR63	29APR63	10JUL63	16JUL63	V	T	N	L	
37 53	KM-CL KM-CL	13DEC63 22FEB66	14JAN64 25FEB66	14JAN64 25FEB66	21MAR64 12MAR66	27MAR64 13MAR66	V	Ť	N	G	PORT SYS
50	KI1-CL	11APR68	15APR68	15APR68	26APR68	28APR68	В	Ť	N	G	PORT SYS
11	KN-UT	1900V61	09DEC61	21DEC61	3100769	*****	V	Ť	N	L	1011 515
11	KN-UT	TRANSFD	TO	AFWL	ON	19DEC69					
56	KN-UT	19SEP71	26SEP71	26SEP71	09N0V71	11NOV71	٧	T	N	G	PORT SYS
-	KP-NV	06JAN70	23JAN70	(STRAIN)	24APR70	*****	M	T	N	-	PORT STR
*	KP-NV	*****	29AUG70	(STRAIN)	31JUL71	*****	M	T	N	-	PORT STR
-	KP-NV	TRANSFD	10	UNIV	NEVADA	180CT71		-			DODT CVC
55 54	KV-AT KV-AT	080CT65 21AUG68	120CT65 26AUG68	130CT65 26AUG68	15NOV65 09SEP68	16N0V65 10SEP68	В	Т	N	S	PORT SYS
		albrace.	0205055	1005065	1205055	LADECCE	-				DODT CVC
54 03	LA-GA LB-NH	01DEC65 11JUN62	03DEC65 14JUN62	10DEC65	13DEC65 28JUN62	14DEC65 01JUL62	T	T	N	S	PORT SYS
25	LC-NM	11SEP61	20SEP61	30SEP61	23JUL65	30JUL65	M	P	Y	L	
25	LC-NM	13SEP65	28SEP65	28SEP65	15NOV65	27NOV65	M	Ť	Ý	L	
25	LC-NM	TRANSFD	TO	T/6058	03JAN66	27.10.00				-	
15	LC-NM	29JUN67	02AUG67	02AUG67	16JUL69	*****	M	P	Y	S	
15	LC-NM	*****	01SEP69	01SEP69	16SEP69	*****	M	T	Y	S	
15	LC-IIM	*****	26SEP69	26SEP69	100CT69	*****	M	T	Y	S	
15	LC-NM	TRANSFD	10	AFWL	ON	22DEC69		-	v		
15 59	LC-NM LC-NM	04MAR70	13MAR70 16MAR70	13MAR70 17MAR70	26MAR70 26MAR70	29MAR70	M	T	Y	S	PORT SYS
58	LC-NM	185EP71	275EP71	27SEP71	10NOV71	11NOV71	M	Ť	N	G	PORT SYS
51	LC-NM	29APR73	08MAY73	08MAY73	22MAY73	23MAY73	M	Ť	Y	G	PORT SYS
55	LD-MS	03NOV66	13N0V66	15N0V66	03DEC66	04DEC66	T	T	N	G	PORT SYS
55	LD-MS	12JAN69	19JAN69	19JAN69	02FEB69	04FEB69	T	T	N	G	PORT SYS
51	LD-MS	09APR70	11APR70	11APR70	22APR70	23APR70	T	T	N	G	PORT SYS
58	LD2HS	12JAN69	18JAN69	18JAN69	02FEB69	03FEB69	T	T	N	G	PORT SYS
58	LD2HS	11APR70	14APR70	14APR70	22APR70	23APR70	I	Ī	N	G	PORT SYS
51	LD3MS	12JAN69	18JAN69	18JAN69	02FEB69	03FEB69	Ţ	Ţ	N	G	PORT SYS
55 27	LD3MS LE-TN	07APR70 060CT62	09APR70 170CT62	09APR70	22APR70 270CT62	23APR70 01N0V62	T	T	N	G	PORT SYS
07	LG-AZ	15MAR64	02APR64	04APR64	040CT65	070CT65	v	Ť	Y	S	
54	LL-MS	03NOV66	14110V66	14N0V66	03DEC66	04DEC66	Ť	Ť	N	G	PORT SYS
50	LL-MS	12JAN69	17JAN69	17JAN69	02FEB69	03FEB69	Ť	T	N	G	PORT SYS
54	LL-MS	04APR70	09APR70	12APR70	22APR70	23APR70	T	T	N	G	PORT SYS
19	LI1-NV	05MAY62	09MAY62	*****	14MAY62	17MAY62	٧	T	N	L	
34	LI1-NV	11N0V61	25N0V61	30N0V61	20DEC61	21DEC61	٧	T	N	L	
51	LII-MA	290CT67	07NOV67	07NOV67	10DEC67	11DEC67	M	T	N	G	PORT SYS
09	FO-11A	11FEB63	23FEB63	15MAR63	29MAR63	01APR63	Ţ	I	N	S	
28	LP-TX	15NOV61	2700061	******	16MAY62	19MAY62	V	T	Y	L	
14	LS-NH LS-NH	12AUG63 TRANSED	27SEP63	210CT63 AFTAC	22MAR65	28MAR65 09APR65	M	1	4	S	
51	LS-NH	12DEC66	T0 17DEC66	17DEC66	ON 20DEC66	21DEC66	M	T	Y	G	PORT SYS
53	LS-INH	15JAN68	19JAN68	19JAN68	19JAN68	19JAN68	M	Ť	N	G	PORT SYS
24	LT-PA	01N0V62	08N0V62	*****	12DEC62	17DEC62	T	Ť	N	L	
52	LU-MS	12JAN69	16JAN69	17JAN69	02FEB69	03FEB <b>69</b>	Ť	T	N	G	PORT SYS
53	LU-MS	04APR70	07APR70	07APR70	22APR70	23APR70	T	T	N	G	PORT SYS
29	LV-LA	14JUN63	28JUN63	14AUG63	30JAN64	01FEB64	٧		Y	L	
52	LY-WA	300CT67	08NOV67	10NOV67	10DEC67	13DEC67	٧	I	N	G	PORT SYS
19	LZ-BV	11JUN63	12SEP63	2600763	*****	*****	٧	T	N	J	19SEP63AR
19	LZ-BV	TRANSFD	TO	OSR	ON	15FEB65					

## THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY FURNISHED TO DDC

	TEAM	ARRIVAL DATE	OPERATION SP	ONAL DATE	SITE	DEPARTURE DATE	T	s	Р	I	SPEC OP STATUS
51	MB-MS	08N0V66	15N0V66	15N0V66	06DEC66	07DEC66	T	Т	N	G	PORT SYS
57	MB-MS	12JAN69	15JAN69	17JAN69	02FEB69	03FEB69	Ť	Ť	N	G	PORT SYS
56	MB-MS	04APR70	09APR70	10APR70	22APR70	23APR70	T	T	N	G	PORT SYS
21	MC-SD	08MAY62	09MAY62	*****	28JUN62	30JUN62	٧	T	Y	L	
39	ME-BC	04JUL62	07JUL62	*****	17JUL62	19JUL62	T	T	N	L	
26	MF-WS	17DEC62	22DEC62	*****	01APR63	01APR63	I	Ţ	Y	L	
32	MH-NB	080CT62	150CT62	******	270CT62	290CT62	T	T P	N	L	CDFC TCT
03 50	MKT ML1CL	04MAY73 20AUG66	22AUG66	23MAY73	31JAN75 26AUG66	14JUN75 26AUG66	B	T	N	G	SPEC TST PORT SYS
51	ML 3CL	21AUG66	25AUG66	*****	09SEP66	10SEP66	Ť	Ť	N	G	PORT SYS
54	ML 4CL	20AUG66	23AUG66	*****	09SEP66	10SEP66	Ť	Ť	N	G	PORT SYS
55	ML2CL	21AUG66	24AUG66	*****	09SEP66	10SEP66	T	T	N	G	PORT SYS
23	ML-NM	04N0V61	15DEC61	*****	16FEB62	17FEB62	M	T	Y	S	
14	MM-TN	150CT61	17DEC61	*****	01APR63	08APR63	٧	P	Y	S	
35	NN-NV	12SEP61	19SEP61	100CT61	15JAN69	02FEB69	M	P	Y	L	611.0
33	MO-ID MP-AR	27SEP66	17NOV66	17N0V66	26JUN67	02JUL67 04JUN63	V	T	Y	L	SILO
13	MR-PA	020CT61 060CT62	20N0V61 110CT62	20N0V61	03JUN63 270CT62	310CT62	T	T	Y	Ĺ	
28	MS-PA	20JUL62	24JUL.62	*****	27JUL62	29JUL62	Ť	Ť	N	i	
05	MU-WA	18SEP62	26SEP62	*****	050CT62	090CT62	Ť	Ť	N	S	
36	MV-CL	060CT61	220CT61	180CT61	10MAR64	14MAR64	٧	P	Y	L	
54	MV-CL	23FEB66	01MAR66	01MAR66	12MAR66	13MAR66	٧	T	N	G	PORT SYS
03	MW-ON	080CT62	110CT62	*****	270CT62	290CT62	T	T	Y	S	
27	MX-TN	01N0V62	14NOV62	27NOV62	12DEC62	19DEC62	T	T	Y	L	
24	MY-AR	12JUL62	16JUL62	******	03AUG62	07AUG62	I	Ţ	Y	L	
22	MZ-AR	14DEC62	20DEC62	30JAN63	31JAN63	02FEB63	T	T	Y	L	
09	ND-CL	02APR63	17APR63	17APR63	07JUN63	12JUN63	М	Ţ	N	S	V-
56	ND-CL	07APR68	11APR68	11APR68	26APR68	27APR68	M	T	N	G	PORT SYS
10	NG-WS NG-WS	200CT61	1900761	*****	26MAY62 14JUN63	29MAY62 21JUN63	V	P	Y	S	AR
28	NL-AZ	070CT62 21MAR64	130CT62 31MAR64	31MAR64	25JAN65	28JAN65	V	T	N	L	AK
28	NL2AZ	28JAN65	10FEB65	24FEB65	040CT65	070CT65	v	Ť	Y	i	
13	NP-NT	27JUN63	11JUL63	23AUG63	10JUL70	DISPOSED	T	T	N	J	22JUL70
57	NT-NV	23AUG76	26AUG76	*****	01APR77	01APR77	T	T	Y	G	PORT SYS
56	NT2NV	04SEP76	10SEP76	*****	01APR77	01APR77	T	T	Y	G	PORT SYS
				1							
05	0A-1S	17MAR62	30MAR62	*****	03AUG62	10AUG62	В	T	Y	S	
09	OA-IS	22SEP62	29SEP62	*****	05NOV62	OldEC62	В	Ţ	Y	S	
-	OB-NV	18FEB70	27FEB70	(STRAIN)	05MAY70	*****	M	T	N	-	PORT STR PORT STR
-	OB-NV OB-NV		25AUG70	(STRAIN)	31JUL71	180CT71	М	1	N	-	PURI SIR
60	OB2NV	TRANSFD 12AUG76	T0 16AUG76	UNIV	NEVADA	1000171	T	T	Y	G	
60	OB3NV	11APR77	20APR77	*****					•		SPZ OUTRIG
20	00-NW	18JUN63	13AUG63	230CT63	01APR65	*****	٧	T	N	L	13AUG63AR
20	W1-00	TRANSFD	TO	OSR	ON	01APR65					
16	OR-FL	24APR63	14MAY63	*****	15SEP63	18SEP63	٧	T	N	S	14MAY63DW
27	PB-TN	02JUL62	06JUL62	*****	11JUL62	12JUL62	T	T	Y	L	
50	PC-MS	08N0V66	12N0V66	12N0V66	06DEC66	07DEC66	T	T	N	G	PORT SYS
54	PC-MS	12JAN69	15JAN69	15JAN69	02FEB69	03FEB69	T	Ţ	N	G	PORT SYS
52	PC-MS	04APR70	10APR70	10APR70	22APR70	23APR70	Ţ	Ţ	N	G	PORT SYS
37	PD-BC	02JUL62	06JUL62	******	17JUL62	18JUL62	Ţ	Ţ	N	L	
19	PE-WV PF-MI	01JUL62	06JUL62 03JAN63	*****	17JUL62 17JUN63	18JUL62 17JUN63	T	T	Y	S	
03 37	PG-BC	13DEC62 21NOV62	07DEC62	*****	07DEC62	18DEC62	Ť	Ť	N	Ĺ	
28	PG-BC	150CT65	260CT65	01NOV65	11SEP68	*****	v	Ť	N	L	
28	PG2BC	23SEP68	050CT68	050CT68	17AUG70	28AUG70	В	T	N	S	
52	PG2BC	15SEP71	25SEP71	25SEP71	09NOV71	12NOV71	В	T	Y	G	PORT SYS
58	PG2BC	29APR73	04MAY73	04MAY73	22MAY73	23MAY73	В	T	Y	G	PORT SYS
35	PH-NV	11AUG69	15SEP69	(ACCMTR)	100CT69	*****	I	Ţ	N	-	JORUM ARC
8	PH2NV	11AUG69	15SEP69	(ACCMTR)	100CT69	*****	Ţ	Ţ	N	-	JORUM ARC
35	PH3NV	27FEB70	18MAR70	(ACCMTR)	07APR70	******	T	T	N	-	HNDLY ARC
35	PH3NV PH4NV	TRANSFD	T0 18MAR70	UNIV	CALIF 07APR70	25AUG71	T	T	N		HNDLY ARC
8	PH4NV	27FEB70 TRANSFD	TO	(ACCMTR) UNIV	CALIF	25AUG71		'	"		HINDLT ARC
33	PH-WA	140CT67	08NOV67	08N0V67	10DEC67	14DEC67	V	P	Y	L	
16	PI-WY	09JAN64	22JAN64	11MAR64	29APR64	15MAY64	V	T	Y	S	21JAN64DW
39	PI2WY	09FEB65	01MAR65	*****	26APR65	03MAY65	٧	T	Y	S	27FEB65DW
60	PJ-PA	15AUG69	29AUG69	29AUG69	100CT69	110CT69	T	T	N	G	PORT SYS
39	PK-OR	24MAY62	06JUN62	*****	28JUN62	02JUL62	T	T	N	L	

## THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY FURNISHED TO DDC

	TEAM	ARRIVAL DATE	OPERATION SP	DNAL DATE	SITE	DEPARTURE DATE	I	s	Р	1	SPEC OP STATUS
04 37 53	PM-WY PO-TX PQ-ID	030CT61 15N0V61 290CT67	25NOV61 09DEC61 07NOV67	25NOV61 ****** 07NOV67	10JUL63 20DEC61 10DEC67	17JUL63 21DEC61 11DEC67	V V B	P T T	Y	SLG	PORT SYS
07 07 40	PR-IS PR-IS PT-OR	10MAR62 ****** 04JAN62	06APR62 30SEP62 26JAN62	***** ***** 26JAN62	03AUG62 04N0V62 29JUL63	01DEC62 06AUG63	B B V	TTT	N N Y	S	
50 24 51	PU-MS PV-AR PW-IL	25FEB65 10JUN62 29JUN66	26FEB65 15JUN62 29JUN66	01MAR65 ******	03MAR65 28JUN62 30JUN66	04MAR65 30JUN62 30JUN66	T	TTT	N Y N	S L G	PORT SYS
53 51	PY1AZ PY2AZ	18JAN67 18JAN67	******	26JAN67 27JAN67	06APR67 06APR67	11APR67 11APR67	T	T	N N	G	PORT SYS
50 54 55	PY3AZ PY4AZ PY5AZ	18JAN67 18JAN67 18JAN67	******	27JAN67 01FEB67 01FEB67	06APR67 06APR67 06APR67	11APR67 11APR67 11APR67	T	TTT	N N	GGG	PORT SYS PORT SYS PORT SYS
39	PZ-PR	12AUG63	10SEP63	11JAN64	13MAR64	19MAR64	v	Ť	Ÿ	S	10SEP63D
:	QM-NV QM-NV	20JAN70	25JAN70 30AUG70	(STRAIN) (STRAIN)	24APR70 31JUL71	*****	M	T	N N	-	PORT STR PORT STR
39	QM-NV QN-BC	TRANSFD 160CT62	T0 260CT62	UNIV ******	CALIF 270CT62	25AUG71 01NOV62	т	Т	N	L	
36	RG-SD	140CT65	250CT65	07N0V65	26SEP66	010CT66	V	Ţ	Y	L	DODT STD
=	RH-NV RH-NV RH-NV	15DEC69 ****** TRANSFD	29DEC69 31AUG70 TO	(STRAIN) (STRAIN) UNIV	01MAY70 31JUL71 NEVADA	****** 180CT71	M	T	N	-	PORT STR PORT STR
28 28	RH-NV RH-NV	31AUG70 09FEB71	21APR71	(STANDBY) 21APR71	02AUG71	13AUG71	٧	T	N	s	VAN SPEC TST
53 50 03	RI-MS RI-MS RK-ON	12JAN69 13APR70 21JUN63	14JAN69 16APR70 12JUL63	18JAN69 16APR70 17JUL63	02FEB69 22APR70 17AUG70	03FEB69 23APR70 26AUG70	T T V&B	TTT	N N	G	PORT SYS
53 57	RK-ON RK-ON	17SEP71 30APR73	24SEP71 08MAY73	24SEP71 08MAY73	09NOV71 22MAY73	10N0V71 23MAY73	B	T	N N	G	PORT SYS
59 26 19	RK-ON RL-WS RN-WV	03FEB75 01APR63 19DEC62	10MAR75 10APR63 31DEC62	10MAR75 ****** 12MAR63	13MAY63 16MAY63	15MAY63 18MAY63	B T T	P T T	N Y Y	G L L	PORT SYS
55 05	RS-KY RT-NM	01DEC65 18NOV61	03DEC65 04DEC61	11DEC65	13DEC65 15FEB62	14DEC65 08MAR62	T	T	N	S	PORT SYS
04 04 10	RT-NM RT-NM RY-ND	18JUL63 TRANSFD 24JUN63	14AUG63 T0 22JUL63	14AUG63 AFTAC 22JUL63	22MAR65 ON 22MAR65	27MAR65 09APR65 28MAR65	V	T	Y	S	
10 54	RY-ND RY-ND	TRANSFD 21MAY66	TO 23MAY66	AFTAC 29MAY66	0N 03JUN66	09APR65 03JUN66	v	ī	N	G	PORT SYS
55	SA4TX	14APR67	17APR67	*****	08MAY67	08MAY67	Т	Т	N	G	PORT SYS
50 55	SA2TX SA2TX	14APR67 09MAY67	16APR67 09MAY67	*****	16MAY67 15MAY67	16MAY67 16MAY67	T	T	N	G	PORT SYS
50 08	SA4TX SE-MN	16MAY67 200CT61	18MAY67 24JAN62	18MAY67 ******	23MAY67 19JUN63	23MAY67 25JUN63	V	T P T	N Y	S	PORT SYS
21 36 28	SF-AZ SG-AZ SH-PA	04NOV61 17MAR64 06OCT62	03DEC61 06APR64 110CT62	09APR64	03MAY62 040CT65 270CT62	05MAY62 080CT65 310CT62	V	Ť	N	L	
27 60	SI-BC SI-BC	150CT65 21AUG68	250CT65 26AUG68	07NOV65 29AUG68	140CT66 09SEP68	220CT66 10SEP68	V	T	Y N	L	PORT SYS
30 07 07	SJ-TX SJ-TX SJ-TX	050CT61 130CT65 TRANSFD	11NOV61 260CT65 TO	11NOV65 T/6058	08JUL63 15NOV65 03JAN66	11JUL63 18NOV65	V	P	Y	S	
21 50	SJ-TX SJ-TX	28JUN67 12JAN68	03AUG67 16JAN68	03AUG67 16JAN68	18SEP67 19JAN68	19SEP67 19JAN68	V	P	N	L	PORT SYS
52 57 60	SJ-TX SJ-TX SJ-TX	15AUG69 17SEP71 01MAY73	21AUG69 23SEP71 08MAY73	21AUG69 23SEP71 08MAY73	100CT69 09NOV71 22MAY73	110CT69 12NOV71 23MAY73	VVT	TTT	N N	GG	PORT SYS PORT SYS PORT SYS
21 32	SK-TX SM-TX	22JUL63 16NOV61	19AUG63 06DEC61	19AUG63	06MAR64 20DEC61	08MAR64 24DEC61	V	T	Y	L	
33 03	SN-AZ SO-QB	07MAR64 04JUL62	29MAR64 06JUL62	29MAR64 ******	040CT65 17JUL62	060CT65 19JUL62	V T	T	N	S	PORT SYS
54 51 39	SP-IS SQ-IS SR-OR	28JUN67 05JUL67 02MAR63	02JUL67 14JUL67 19MAR63	******	10SEP67 10SEP67 03JUN63	13SEP67 12SEP67 07JUN63	T V T	TTT	N N	G	PORT SYS
29	SS-TX	020CT61	190CT61	150CT61	11JUN63	12JUN63	V	P	Y	L	

## THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY FURNISHED TO DDC

	TEAM	ARRIVAL DATE	OPERATIO SP	NAL DATE	SITE	DEPARTURE DATE	T	s	Р	1	SPEC OP STATUS
07 51 53 54 50 22 08 08 30 21 21	ST-NV ST1TX ST2TX ST4TX SU-VA SV-AZ SV2QB SV3QB SV3QB SW-MA SX-SD SY-SD SZ-NV	19JAN63 14APR67 14APR67 14APR67 18JUN65 04N0V61 25AUG64 15SEP65 13SEP65 290CT62 090CT62 19DEC62	30JAN63 15APR67 16APR67 16APR67 19JUN65 25N0V61 20SEP64 130CT65 160CT65 09N0V62 120CT62 05JAN63	15MAR63 19MAY67 19MAY67 ******** 05JUL65 22DEC61 20SEP64 130CT65 160CT65 14N0V62 *******	29MAR63 23MAY67 23MAY67 16MAY67 23JUL65 03MAY62 23JUL65 09SEP68 13SEP66 12DEC62 27OCT62 08FEB63	01APR63 23MAY67 23MAY67 15MAY67 23JUL65 05MAY62 02AUG65 13SEP68 20SEP66 18DEC62 29OCT62 11FEB63	T T T T V V V V T T T T	T T T T T T T T T T T T T T T T T T T	N N N N N Y Y Y Y N	S G G G S L S S S L L S	PORT SYS PORT SYS PORT SYS PORT SYS 20SEP64AR
24 37 52 55 34 -	TC-NM TD-NM TE-GL TE-GL TF-CL TF-CL TG-IS	06N0V61 02AUG63 28SEP65 11DEC66 26APR62 070CT65 10APR62	20DEC61 22AUG63 120CT65 18DEC66 23MAY62 240CT65 30APR62	20DEC61 260CT63 120CT65 18DEC66 23MAY62 240CT65	03MAY62 26N0V63 15N0V65 20DEC66 12MAY63 13N0V65 04AUG62	05MAY62 09DEC63 17NOV65 24DEC66 15MAY63 30NOV65	V V T B V V	T T T T P T	Y N N Y Y N	L P G L S S	PORT SYS PORT SYS
23 - - - 40	TG-IS TI-NV TI-NV TI-NV TK-WA	****** 05JAN70 ****** TRANSFD	30SEP62 07JAN70 27AUG70 T0	****** (STRAIN) (STRAIN) UNIV 30AUG63	04N0V62 24APR70 31JUL71 NEVADA	01DEC62 ****** ****** 180CT71	V T T	TTT	N	S -	PORT STR PORT STR
21 32 39 22 31 52 26 28	TK-WA TL-WY TN-CL TO-OK TO-OK TP-NV TQ-MS TS-ND TU-PA	08AUG63 090CT67 02JAN62 15N0V61 07MAY62 13N0V61 13MAY77 10SEP64 29JUL62	21AUG63 08NOV67 01FEB62 20NOV61 09MAY62 06DEC61 03JUN77 02OCT64 02AUG62	30A0363 08N0V67 ****** ****** ****** ****** ******	17MAY64 10DEC67 03MAY62 18DEC61 09JUN62 16DEC61 14MAY65 050CT62	23MAY64 20DEC67 04MAY62 24DEC61 10JUN62 29DEC61 21MAY65 060CT62	V M V V T V	T P T T T T T T T T T T T T T T T T T T	Y Y Y Y N N Y	LSLLLGLL	PORT SYS 020CT64DW
39	UK-OR	09JAN63	08FEB63	*****	01MAR63	02MAR63	T	Т	N	L	
03 05 05 39	VN-UT VO-IO VO-IO VT-OR	030CT61 17AUG64 TRANSFD 02JAN62	200CT61 01SEP64 T0 16JAN62	****** 18SEP64 AFTAC *****	01JUN62 22MAR65 ON 21MAY62	03JUN62 31MAR65 09APR65 24MAY62	V V	T T	Y Y Y	S S L	
22 02 03 54 27	WA-OK WF-MN WF-MN WH-YK WH2YK	080CT62 14AUG64 TRANSFD 070CT65 270CT66	170CT62 30AUG64 T0 210CT65 24N0V66	17SEP64 USGS 210CT65 24NOV66	270CT62 24N0V64 0N 15N0V65 11SEP68	300CT62 03DEC64 15DEC64 16NOV65	T V	T T T P	Y Y N Y	L S S L	PORT SYS
27 27 51 56 60 38 37 24	WH2YK WH2YK WH2YK WH2YK WH2YK WH2YK WI-NV WK-BC WL-YK	******* TRANSFD 17SEP71 29APR73 05FEB75 070CT61 090CT62 13SEP65	23SEP68 T0 26SEP71 0914Y73 18FEB75 10DEC61 170CT62 160CT65	23SEP68 AFOSR 26SEP71 09MAY73 18FEB75 10DEC61 *******	100CT69 U.WASH. 09NOV71 22MAY73 28JUL76 03MAR64 27OCT62 15NOV65	160CT69 ON 10NOV71 23MAY73 02AUG76 11MAR64 05N0V62 22NOV65	B B B M T V	P 10DEC T T P P T T	Y C69 N N Y Y N N	L G G G L L L	PORT SYS PORT SYS PORT SYS
24 53 19 06 30 38	WL-YK WL-YK WM-AZ WN-SD WN-SD WN-SD	TRANSFD 21AUG68 04NOV61 19OCT61 11MAY64 14OCT65	TO 29AUG68 12DEC61 08DEC61 07JUN64 25OCT65	WFO 29AUG68 12DEC61 ****** 27JUN64 10NOV65	ON 11SEP68 03MAY62 19JUN63 010CT64 140CT66	30NOV65 11SEP68 04MAY62 26JUN63 090CT64 200CT66	V V V V V	T T P P T	N N Y Y	G L S L	PORT SYS
36 27 03 <b>5</b> 6 50	WN-SD WO-AZ WP-TX WQ-IL WQ-IL	08JUL67 13MAR64 08JAN71 18AUG69 28APR73	03AUG67 01APR64 ******* 23AUG69 07MAY73	03AUG67 01APR64 18MAR71 23AUG69 07MAY73	10DEC67 040CT65 31MAY72 100CT69 22MAY73	23JAN68 070CT65 07JUN72 130CT69 23MAY73	VVVTT	P T P T T	YNYYY	L L * G G	17JAN65AR TRIAX TST PORT SYS PORT SYS
26 50 55	WR-AR WS-AT WS-AT	16NOV61 080CT65 20AUG68	05DEC61 140CT65 22AUG68	130CT65 24AUG68	16DEC61 15NOV65 09SEP68	26DEC61 16NOV65 10SEP68	V T V	TTT	Y N N	L S G	PORT SYS

#### THIS PAGE IS BEST QUALITY PRACTICABLE FROM CULY FURNISHED TO DDC

	TEAM	ARRIVAL DATE	OPERATIO SP	NAL DATE	SITE	DEPARTURE DATE	T	s	Р	1	SPEC OP STATUS
14	WT-TN	09APR63	12APR63	*****	31JUL63	06AUG63	T	Т	Y	S	
28	WW-UT	03APR63	16APR63	16APR63	15JUL63	20JUL63	٧	T	N	L	
59	WW-UT	08APR68	23APR68	23APR68	26APR68	27APR68	٧	T	N	G	PORT SYS
50	WZ-NV	02NOV67	07NOV67	07NOV67	10DEC67	11DEC67	M	T	N	G	PORT SYS
05	YA-WA	04JAN63	29JAN63	*****	29MAR63	02APR63	т	т	N	s	
56	YF-NV	01APR77	09APR77	*****	30SEP77	30SEP77	Ť	Ť	Ÿ	Ğ	PORT SYS
56	YF2NV	11APR77	20APR77	*****	30SEP77	30SEP77					SPZ OUTRIG
56	YF3NV	11APR77	20APR77	*****	30SEP77	30SEP77					SPZ OUTRIG
56	YF4NV	01APR77	09APR77	*****	30SEP77	30SEP77	T	T	Y	G	PORT SYS
-	YM-NV	15JAN70	20JAN70	(STRAIN)	24APR70	*****	Т	T	N		PORT STR
-	YM-NV	*****	26AUG70	(STRAIN)	31JUL71	*****	Ť	T	N	-	PORT STR
-	YM-NV	TRANSFD	TO	UNIV	NEVADA	180CT71					
-	YR-CL	110CT65	250CT65	250CT65	13NOV65	16N0V65	٧	T	Y	S	
33	YR-CL	06JUL67	01AUG67	01AUG67	060CT67	120CT67	V	P	Ý	L	
59	YR-CL	21AUG68	30AUG68	30AUG68	09SEP68	10SEP68	V	T	N	G	PORT SYS

LEGEND T-TYPE OF SITE

M-MINE V-VAULT T-TEMPORARY B-BUNKER

S-STATUS P-PERMANENT

T-TEMPORARY

T-TEMPORARY
P-AVAILABILITY OF COMMERCIAL POWER
Y-YES
N-NO
I-TYPE OF SEISMOMETER INSTALLATION
L-LARGE BENIOFF
S-SMALL BENIOFF
3-20MINERON MATHESON

J-JOHNSON-MATHESON
\*-LARGE VERTICALS, SMALL HORIZONTALS
G-GEOTECH
KS-MODEL 36000

\*\*ODD-NUMBERED SITES (201, 203, ETC.) WERE OCCUPIED BY TEAM 51. EVEN-NUMBERED SITES (202, 204, ETC.) WERE OCCUPIED BY TEAM 55.

APPENDIX 4

LRSM - SDCS SITE INFORMATION

		_	_	Sd	Sd	Sa.		· .	96	2 -	, 2	PS	S++HQ+S	,	S+DH		z :	<b>6</b> -	. 2		Sd+S+1	1+PS	_		S	s:	2012	5445	2	PS	Sac	20		_	PS	_ (	,	2	20		, 2	S d		PS	z	50	S
		z		z	z	z :	. ;	- :	z >	- 2	. >	. z			*			z 2	. >	. 2	. >		_			<b>&gt;</b> :	2 >				<b>&gt;</b> ;			_	z	<b>-</b> :	- 2		z 2	. 2	z	z		z		z	z
	-	_	>	_	_	- :	> .	_,		. >			>	_	>	> 1					. x	>	_	_	>	> .	- >		>	-			_	>	_	- :	> ;			. >		_	-	_	_	- +	_
	2		-	2	m 1	m 1	m .	, .	H 0	. «	. 4		2	2	~		. 0					. ~	2	2	1	m	<b>.</b> .							2	9	o (						6		9	~	ю.	_
	ELFV	61	9	18	18	18	213	77	1 5 1 1	0	416	9	907	213	427	27	216		1 2 2	381	1981	567	122	33	1067	183	2	36	21	2	~ ~	36	244	665	*	546	1219	100	2317	170		25	305	76	45	183	00
	ž	1610	4922	3232	3216	2771	2117	9917	1236	1295	3194	5202	1352	1884	1620	0634	6442	1877	3056	2513	0266	0293	2210	2177	1333	3988	3050	3273	8123	8126	3320	2667	3341	3247	4150	2966	1015	7770	7100	0601	1191	2086	3426	2774	3135	3488	6412
	DISTANCE	14.481	44.264	29.070	28.923	24.919	24.974	24.053	111.115	11.647	28.725	46.783	12,155	16.944	14.571	5.699	22.027	45.714	16. 671	22.600	2.395	2.635	19.872	19.580	11.984	35.866	27.500	29.638	73.053	73.082	29.856	23.986	30.050	29.205	37.048	26.671	9.130	1.994	0 0 0	5.402	10.708	19.757	30.807	24.946	28.193	31.367	24.036
		30	45	35	35	35	8 .		35	200	2 -	33	30	45	60		10	13	2 4	30	26	27	745	20	18	17	3,5	28	25	25	52	25	54	41	10	52	35	2	22	מ כי	12	60	20	35	28	22	63
	NATE	90		03	03	3 1	20	3	2 :	2 6	١ ٣	202	6.5	36	2	-	20	7 7	2 0	, -	1	51	38	16	51	-		30	03	03	03	3 6	37	20	r		20.	;	7 7	25	M	2	33	-	20	35	00
ION	COORDINATES	660	176	0.0	38.0	086	080	020	103	-	100	179	106	095	960	397	9 9 9	100	0.40	0.88	117	118	091	092	103	690	1	078	0.02	082	0.82	0.80	077	078	161	280	108	011	118	100	120	392	920	980	040	075	133
INFORMATION	00	9	30	01	01	80	200	2 0	2 0	. 4	2	22	0.9	58	66	25	5 .	*	200	P .	23	53	54	28	35	40	2 0	00	19	19	13	1 5	0	27	*	4	200	2 .	2 2		6	6	26	11	24	03	<b>t</b>
NFO	SITE	31	25	56	56	20		4		2 2	3 -	23	45		64			35			28	38			55	38	1					7 7	7	55					210	1 2				10		46	
I I		43	51	35	35	32	32	3	* 4	, t	5 6	5 10	46	34	34	34	4 2	200	, ,	1 1	3	35	35	1	30	\$ .	* *	3	28	28	28	2 0	100	39	60	36	4 .	0	33	5 2	17	0 7	41	31	38	42	0
M SITE	DEC	116	360	D 3H	U SE	OZE	OZE	120	146	125	1	0.0E	15E	360	960	10E	O TE	100	1 4		17F	16E	1999	0 4E	12E	191	136	300	CIE	O1E	015	111	07	0.51	19E	C11	17E	101	165	144	215	06E	M60	0 4E	M TO	145	305
LRSH	JTHS	160	06 5	194	161	198	228	202	158	1 00	1 87	060	132	195	194	164	157	190	1 85	1 53	073	324	192	165	215	185	100	186	230	230	208	213	186	187	060	191	100	3 0	242	178	171	177	196	202	189	179	1/2
	AZIMUTHS	070	330	104	107	104	133	115	106	100	200	000	240	105	104	440	272	3 0	900	06.3	343	234	102	075	125	960	100	960	140	140	118	123	960	260	000	101	351	*	252		341	0.87	960	112	860	680	000
		AY-SD	A0-15	AE-NC	A E-NC	AX-AL	AXZAL	BXCAL	A L - N H	A7-TX	VH-E4	AC-1S	ANIMA	41-0K	AP-0K	A 4-0X	AU-WS	A 4 - 15	1	A W.	AT-NV	BF-CL	BK-AR	BA-WS	8H-1×	86-ME	200	80-PA	BE-FL	BE-FL	8E-FL	BEAFL	3 V-PA	84-PA	B3-AK	BI-VA	92-50	100	200	AX-III	AM-WE	37-10	88-PA	90-AL	32-WV	90-08	34-18
	SITE DESIGNATOR	ACADEMY	ADAK ISLAND	ALBEMARLE	ALBEMASLE .			ALEXANDER CITY	ALLIANCE	AMACTICO	AMBOY	AMCHITKA	ANGELA (+ARY)	ANTLERS	APACHE	A 20MORE .	ARCONNE	ATOXA	ALIGUETA	AUPOSA (ARY)	AUSTIN	BAKERSFIELD	80	BALONIN	BALMORHEA	BANGOR	BECKI EV	BEDFORD	BELLEVIEW .	BELLEVIEM .	BELLEVIEW *	BELLEVIEW .	BELLEVILLE	BERLIN (+ARY)		BIG STONE GAP	BILLINGS	POTOTO -	BISHOP +	BI AND INC.	BLEWETT	BLOOMF IELD		BREWTON	BUCKHANNON	BUCKINGHAM	BUKMASH LANDING
	SITE	7.8	216	354	354	251	258	252	115	160	2 1	363	220	25	691	47	157	200	2 2		37	34	69	110	28	91		135	233	233	233	233	132	139	364	130	359	701	162	1 38	98	389	116	253	145	101	642

																														VARY																			
		PS	,	PS	C+PS	s	s	z	PS	_	s	S	_	S	_	_	2 .					·	2	z	_	PS	S.	Sa.	٠.	PS+JMVAR	S	_	S+PS	٠.	. 6	z	s	_	_	S	Sa	Sa	Sa	2	Sa	2	S	S	PS
	۵	z	z	z	>	-	>	>	>	>	>	z	z	z	>	z	- ;	- >	- 2	. >	. >	>	>	z	>	>	-	> >	- >	-	z	z	>	z 2	2	z	>	-	-	z	z	z	z	z	z	Z	<b>z</b>	z	z
	-	-	-	E	>	>	>	-	Ŧ	>	>	-	-	-	-	-	- •	- •		. >	. >	>	-	-	>	-	-	- •	- >	. >	>	E	>	- +		-	>	>	>	-	-	-	-	-	-	-	- 1	-	-
	ELEV	861	518	1804	1189	1189	1189	305	1036	183	183	2256	1920	38	305	249	975	350	274	152	152	320	732	1402	244	418	410	410	305	574	1646	192	652	4 30	1859	259	2225	198	1433	457	457	457	305	366	305	274	305	154	290
	ž	2811	1570	0659	1640	5523	5577	2851	1678	2578	1569	1100	1084	5229	1923	5984	2241	1222	1 1 1 2 2 2	2186	1146	2273	3118	0720	6543	1718	6255	0978	2022	2738	0178	0120	3553	1799	1268	2767	0747	1840	1217	0437	1474	6440	0512	1150	0582	0619	0655	1686	0726
	DISTANCE	25.277	14,123	5.924	4.446	49.668	50.158	25.639	15.089	23, 180	14.110	9.896	9.752	47.029	17.297	26.835	12.791	19.970	12.022	19.655	10.309	20.438	29.037	5.473	56.201	15.453	56.252	8.796	26.939	24.625	1.604	1.349	31.949	16.182	11.405	24.880	6.713	16.550	10.949	3.933	13.254	4.311	4.605	969.4	5.235	5.569	5.891	6.167	6.527
	INATES	80	21 19 40	28		116 22 16				087 23 04		114 20 30				082 24 57				191 58 40	-		080 38 25	30	51	20	20	96 50 54	2 4	34	27		23	12 94 960	200	38	14	96 13 04	105 07 48	93 08 11		082 36 13	10 10 20	11 45 15	11 16 14	50 94 090	30 16 39	19 51 51	9 21 26
LRSM SITE INFORMATION	SITE COORDINATES	2 14 13	9 31 18	4 15 11	3 44 11	3 44 11	3 44 11	8 40 08	6 09 12	6 12 08	6 12 06	9 28 11	5 00 10	6 52 9	6 11 0	1 37 08	25 30 10	60 64 6	7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	80 8	80 8	1 34 09						8 12 09			0 38 11	0 00 11	4 39 07	9 58 0	0 25 11	8 59 38	7 53 10	2 11 09	35	25 47 08	2 47 06	6 07 00	3 35 0	0 16 0	9 16 08	2 18 06	2 19 0	2 00 01	7 51 07
IN	SI	51 2	53 4	37 5	32 4	32 4	32 4	36 0	47 4	35 4	35 4	2 ++	11 2	53 3	34 5	37 1	2 4	2 4	2 4	35.0	35 0	15 1	38 1	43 2	43 3	+0 3	4.3	9 9	26 4	35 3	38 4	35 5	45 1	40	5 2	38 3	37 2	34 0	31 1	47 5	47 5	6 8 3	1 8 1	48 2	18 2	60	89	9	t 8 t
M SITE	DEC	30E	24E	166	15E	15E	15E	00				196								190			03H	19E	105	360	360	363 245	1 0	. CZE	16E	15E	111	19E	185	000	15E	360	12E	1	270	.71	100	160	M60	101	101	111	124
188	THS	175	373	303	272	222	221	192	319	192	170	159	158	211	135	190	129	100	200	193	167	166	189	073	221	173	222	175	1 9 4	060	112	267	1 85	162	159	187	180	197	216	5	151	3	3	3	3	3	3	3	5
	AZIMUTHS	385	343	273	182	132	131	102	583	102	.85	690	990	121	105	100	200	200	338	103	077	940	660	343	131	683	132	980	101	000	022	177	960	270	690	260	060	101	126	3	327	9	9	5	9	3	3	3	<u>a</u>
		8H-YK	CK-RC	>N-00	CP-CL	CP-CL	CP-C	CA-TN	CC-NA	CV-TN	CV-TN	CL-10	CY-HY	CH-HT	C1-0	CI-VA	6N-75	200	200	CH-A2	CH-AR	CN-MS	DX-XC	K4-08	CR-NB	CRZNB	CRENB	CAZNB	47-00	CP-50		34-6	AN-HO	06-NV	4×-10	DY-KY	03-50	90-0¢	FF-TX	F2101	E4101	<b>ER102</b>	E8103	ER104	E4105	E4105	ER107	1108	ER109
	SITE DESIGNATOR	BURNASH LANDING .	CACHE CREEK	CALIENTE .	CAMPO	CAMPO .	CAMPO .	CARVILLE	CASCADE TUNNEL .	CENTERVILLE	CENTERVILLE .	CHALLIS .	CHEYENNE	CHURCHILL .	CLAYTON	CLINTHOOD	2000	COLPAN	CONCOETE	CONMAY	CONMAY .	CORNELL	CRAIGSVILLE	CRANE	CRETE .	CRETE	CAETE .	Caere .	CHARESI AND GAD	•		DEATH VALLEY	DELHI	DELL KAPIUS	OILLON *	DRY RIDGE	DUZANGO	F			EARLY RISE .				EARLY RISE .				EARLY RISE .
	SITE	549	76	372	33	33	33	133	371	25	25	553	11	542	69	111	149	120	75		6,	6	148	*0	241	338	388	388	29	904	196	31	17	119	260	255	12	181	27	338	338	334	330	326	322	318	314	310	306

н	8 8 8 8	SS	P S	Sd	2 0	S	Sa	2 0	N W	Sa	S	2 4	Sa	Sd	PS	50	2 4	S	S	S	8	2 0	Sa	BS.	Se	2	PS	Sa	50	20	0	Sd	PS	S d	Sa	S	S	2 6	SS	
•	2222	zz	zz	z	z z	z	z	z 2	: z	z	z	z 2	z	2	z	2 :	zz	z	z	z	<b>z</b> :	zz	z	z	z	2 2	z	z	z 2	2 2	2	z	z	z	z	z	<b>z</b> :	2 :	zz	
-				-		-	-	- •		-	-		-	-	-	- •		-	-	-	- 1		-	-	- 1		-	-	-+		-	-	_	-	-	-	- 1	- •		
ELEV	305	305	305	305	3.81	396	391	9 .	381	351	123	151	152	274	183	544	290	356	175	1.83	173	645	396	122	1:	2 -	152	92	9 .	2 =	26	61	15	94	23	15	9:	0 .	15	
₹	0801	0905	0939	1014	1047	1108	1102	1117	1167	1197	1541	1295	1330	1356	1395	1413	1496	1524	1549	1584	1602	1662	1689	1723	1753	1813	1633	1866	1893	1955	2014	2045	2075	2100	2126	2154	2189	1999	1625	
DISTANCE	7.199	9.113	8.802	9.115	9.416	9.963	606.6	10.041	10.494	10.767	11.157	11.6497	11,959	12.199	12.543	12.706	13.456	13.706	13,934	14.245	14.405	14.943	15.192	15.493	15.770	16.304	16.489	16.781	17.027	17.578	18.115	18.393	18.661	18.683	19.121	19,369	19.688	14.04	14.617	
S	148	54	36	00	11	30	38	17	200	01	1	100	17	55	35	22	35	63	30	00	9 !	37	6	99	14	2 4	21	16	22:	22	53	02	16	30	15	51	25	,,	12	
A TE	20 40	00	32	36	3 8	12	16	20	21	96	50	2 2	80	47	11	100	00	39	20	25	£ 3	28	36	13	20	00	24	31	0 0	25	45	18	24	33	13	20	15	77	26	
COORDINATES	078	077	076	075	075	074	120	074	073	072	072	120	071	070	070	070	690	068	990	190	067	990	990	990	065	065	190	190	190	163	062	062	061	190	061	060	090	200	050	
S	617	201	262	52	1 2	53	41	15	200	53	53	2 6	17	33	21	27	30	11	11	0 2	m .	2 4	18	35	18	1 1	51	24	0	2 0	35	52	96	35	56	45	1 .	1 0	330	
SITE	34 32	25	35	6	6 5	52	35	::	32	25	33	* 0	20	91	10	00	4 6	53	54	13	5	25	18	35	35	2 -	80	0	29	1 2	35	35	34	37	37	36	15	3 6	99	
6	4444	0 0	4 4	64	6 0	6	64	5 0	6	4 3	4	* 5	4	6 5	6	9 !	* *	47	47	2		0 0	9	46	9	2 0	40	9	4 2	, 10	12	42	42	42	12	4	9	9	0 0	
DEC	1134	164	1 9 1	194	191	20 M	194	161	191	194	194	201	20 M	20 W	214	214	214	22 W	22W	22 M	22.	234	23H	23W	23W	234	23W	14 Z	241	146	24M	24 M	24H	25W	25H	25H	192 192	100	26W	
AZIMUTHS	3 3 3 9	3 3	3 3	9	9 9	3	9	3 9	9	c	9	3 4	d	9	9	3	3 3	ď	3	3	3 5	3 3	3	a d	9 5	9	d	9	3 9	5 5	9	ď	9	ď	9	3	3	2	143	
AZIM	3333	5 5	3 3	9	a a	9	d'i	3 9	an	a n	d i	2 0	d'O	đ	a n	3 :	3 3	d'D	9	9	a :	9 9	ď	3	9 5	5 5	d n	9	3 9	9 9	9	an	9	ď	d o	3	2 .	2 0	153	
	E2116 E7111 E7112	ER114	ER115	E4117	FR113	ER123	£4201	53202	F R204	E42.5	E4207	F2209	58210	E4211	ER212	ER213	ER215	ER217	ER218	ER219	ER220	E4222	ER223	ER224	ER225	F 2227	FR228	ER229	ER230	F 22.32	E3234	E4235	ER236	FR237	ER238	ER239	E 3241	1472	E4242	
NATOR							. ,																			* (427)														
DESIGNATOR	RISE RISE	41SE						RISE	RISE	RISE				RISE	RISE	AISE	RISE	RISE	41SE	RISE	AISE	RISE	RISE	RISE	RISE	RISE	RISE				RISE	2010	RISE							
SITE	EARLY EARLY EARLY	EARLY	EARLY	EARLY	EARLY	FARLY	EARLY	EARLY	EARLY	EARLY	EARLY	FARLY	EARLY	EARLY	EARLY	FARLY	EARLY	EARLY	EASLY	EARLY	EARLY	EARLY	EARLY	7 7	EARLY															
SITE	301 297 293	286	282	274	25.7	263	564	205	569	272	275	279	2.80	283	584	282	291	594	562	298	562	3,3	307	306	311	315	316	319	320	326	327	328	331	332	335	336	339	525	340	

	<b>.</b>	
	N	
	PSS	_
•	********************************	>
-		>
ELEV	10000000000000000000000000000000000000	610
ž	10000000000000000000000000000000000000	3316
DISTANCE	99.99 111.00.99 111.	29.824
DINATES	00000000000000000000000000000000000000	077 48 40
SITE COORDINATES	7 8 8 8 9 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8	
	ちゅんりじゅんかっぷりゅうかってっちょう ちゅうてき とりゅう うりょくくくくく きゅうちょうちょく とくとくりょう ちょくりょう しょくしょう ちょくしょう カール・ステック マラン・スター しょくしょう しゅう しゅう ちゅうちょう ちゅうしょう しゅうしゅう しゅうしょう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしょう しゅうしゅう しゅう	41
DEC	M M M M M M M M M M M M M M M M M M M	0 7 M
SHT	69993339999999999999999999999999999999	184
AZIMUTHS	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	76 C
	######################################	GT-PA
SITE DESIGNATOR	EARLY RISE CARLY RISE CONTAIN CUTAM CUT	GALETON
SITE	30000000000000000000000000000000000000	16

		2																																			341	,	S				
	Se	A INUOS S	,										S+TX		HO+	00			+0+													HO	NO+S	S+VST	s	s	PS+KS	-	SHOHON	10.10			
-	8	0		S	n.	., 0	, _	۔ ،	٦	S	0	ď	4	z	: נ	2 0		۔ ا	š	٠.	٠.	٠ د	, a	S	PS	. د	۔ د	1 4	د	٠.		בֿ נ	Š	Š	ď	ď	ď	is .	בֿ ה	<u>-</u>	1 Z	_	S
۵	<b>&gt;</b> >	- 2	z	z	- :	z 2	z	>	-	> >	- >	-	>	-	> :	- 2	2 2	>	>	<b>&gt;</b>	- ;	- >		>	z	z	- >	- >	>	Z	- 2	-	-	-	>	~	>	2 1	- 2		z	>	>
-	- >	-	-	-	> :	> >	·	-	>	> :	. 1	>	T	-	> 1			-	>	<b>T</b>				>	-	<b>-</b> :	>>	. >	>	-:	> >	. >	>	>	-	-	-	> :	> +		E	>	>
ELEV	372	2164	305	571	135	1036	1707	1097	525	427	1 9 6	119	16-	162	152	2 4	249	366	16	1890	1829	1829	1829	4.88	488	274	100	188	705	1494	1158	67	491	213	213	213	213	369	376	305	1737	152	152
ž	2909	1401	2029	1289	1480	1254	0120	1334	2606	2190	1935	1935	6269	3223	1812	1705	1702	3018	9044	0737	9220	4904	4972	1927	5394	2130	4910	4977	4267	1135	1292	2014	0561	4073	2443	3337	4073	3340	1236	2011	0196	2471	1457
DISTANCE	26.160	7.048	18.249	11.589	13.361	11.278	1.082	11.995	81.812	19.699	17.199	17.399	62.401	28.983	16.298	100.00	15.307	27.145	39.625	6.626	5.514	44.135	44.718	17.327	21.526	19.152	44.15/	44.755	39.373	10.207	11.615	19.109	8.0.6	36.626	66,939	33,010	35.626	33.040	11,118	18.081	1.759	22.227	13,106
S	00	34	11	99	2 :	25	90	56	25	25	9 4		13	03	24	3 0	2 80	10	1,4	32	80	0 0	80	33	99	9	200	202	50	52	20	31	37	60	60	60	60	1 .	200	000	20	94	42
NATE	47	2 -	03	16	13	2 1	12	15	12	53	120	42	42	-	29	22	200	58	0.2	15	52	22	25	41	40	C.	6 4	1	42	21	1 4	0.2		R	S	'n	2	35	4 -	1 0	38	36	36
ORDI	0.82	1 20	160	121	104	110	117	102	011	093	200	160	960	079	960	160	660	081	075	114	114	114	114	660	098	092	200	109	155	104	100	960	098	190	057	190	267	077	101	100	117	986	0.88
SITE COORDINATES	36	7 6	11	*	3 6	2 1	03	28	32	25	200	53	35	90	6	1 2		34	01	20	9	3 0	7	23	39	10	20	202	64	42	35	29	35	43	43	£ 4	43	\$ 1	25		33	50	50
SITE	39	7	3	60	33	0 u		37	-	39	2 0	39					2 7			38		33	, M	26		51		25.	28		42	11					60	29	58			39	39
	4	2 6	2	4 9	4 6	2 6	37	42	49	47	32	32	32	39	32	9 6	30	37	19	43	4	4 4	7	4	48	t .	1 1	1 4	19	4	7 4	30	35	46	46	9 4	46	4.	4 6	4	38	35	33
DEC	HE O	1 4 4	07E	22E	1 .	125	16E	13E	0.2W	OSE	9 6	685	0.9E	053	360	100	105	02W	011	19E	185	1 8 1	18E	10E	10E	0.5E	1 8 5	18E	12E	14E	141	0 8 E	115	21M	211	21H	214	3 1	155	19.0	17E	10	100
THS	183	200	164	690	136	200	345	158	230	156	200	190	225	187	201	200	209	190	215	104	103	234	134	144	144	165	212	212	325	158	128	208	146	183	231	182	183	185	131	1 95	640	192	169
AZIMUTHS	560	000	720	339	940	1119	312	063	140	990	100	236	135	165	111	100	119	100	125	014	013	124	304	120	150	620	122	122	235	690	131	119	950	260	141	260	293	560	140	0 0	319	102	640
	HO-29	X 2 1 0 0	CY-MV	GC-WA	W-12	MAIN	SF-NV	GN-05	SG-68	NH-05	CA-TX	SAZTX	GASTX	GN-SS	5V-TX	21.00	6221X	6.0-VA	GH-CU	H-10	HL210	HL210	HL210	ON-HH	HHZND	NH-TH	1 1	H-VH	HM-IS	HK-WY	HS-NB	HE-TX	H9-0K	HN-NE	HNINE	HN-ME	HN-NH	AG-CH	TO-VE	TK-AP	IO-N	JS-TN	JS-1N
SITE DESIGNATOR	GALION	GASSILGEN	GAYLURD	GLACIER PEAK	SLENDI VE	GNOME	GOLDFIELD	GORDON	GRAFENSFRG (ARY)	GRAND RAPIDS	GOAND SALINE	GRAND SALINE	GRAND SALINE .	GRANTSVILLE	GRAPEVINE	Carr	6217	GRUNDY	GUANTANAMO	HAILEY (+ARY)	HAILEY	MAILEY .	HAILEY *	HANNAH	HANNAH .	HASTINGS	HAVE +	HAVRE .	HAWAII ISLAND ARY	HANK SPRINGS	HAY SPRINGS	HEMPSTEAD	H0842T *	HOULTON	HOULTON .	HOULTON .	HOULTON		TOE CAD CADES	•	IONE	JACKSON	JACKSON .
SITE	392	1,1	72	102	191	117	152	7.	182	179	343	* * *	405	140	57	300	305	106	199	-	5.5	202	205	194	261	109	234	234	171	56	,,,	193	45	117	117	117	1117	218	122	137	160	51	51

H	z	_	S.		٠.	٠,	^ -	100	5	Se	S	HST	Sd	Sd	2	2	1 + 60		7	_	S d	_	_	2	٠.	۰ د	Seps	b S	S.d	b S	^ -		S	z	_	Sd+S	s .	n	, 6	200	200	2 0	200	PS.	_	z
۵	z	z	z	- :	- ;	- ;	- 2	. >	- z	z	>	z	>	>	- :	z 2	2 2	. >	z	>	z	z	z	z	<b>&gt;</b> :	<b>-</b> >	. >	>	>	<b>z</b> :	<b>z</b> ,	- 2	: z	z	-	-	> :	- :		z 2	2	: 2	: z	z	>	. >
-	-	>	>	>	> :	> 0	r +	- >	> >	. >	>	I	-	-	- :	> >	. >	-	>	>	-	>	>	- :	<b>x</b> :	. 1	. I	I	x	- 1	- •			-	>	T I	- :	>+	. ,		-		-	>	-	-
ELEV	518	1128	1128	94	9	1311	200	223	1777	1737	274	2134	305	305	396	1901		366	3993	274	610	536	536	162	1585	1585	1585	1585	1595	16	* 17	305	1 448	1829	15	287	287	1768	2007	20	. 4		1 6	122	305	61
ž	1836	4161	4227	4622	0243	1040	2796	1000	0300	5459	6485	0067	9404	4113	1027	1970	0273	2875	7738	0527	2772	0163	1091	1246	1025	6221	1025	6226	0796	1900	36.35	3308	1181	0157	2532	3777	3710	0521	3000	2000	0073	7200	1500	1805	2681	2327
DISTANCE	16.511	37.418	38.018	23.628	2.186	4.145	18 600	10.000	2.701	49.098	58.321	865.	36.386	36.987	9.240	Z. 403	2.45	25.859	59.594	4.739	54.929	1.463	9.808	11.203	9.222	55.951	9.222	55.992	7.177	.606	23.732	20.761	10.626	1.416	20.612	33.965	33.361	4.683	000	020	. 656	302	305	16.234	3	20.930
ITES			15 25				31 41		02 67				19 26	9 56	7	27 50	15 24	1 6	28 47		27 00	32 07		ä	35 58	5 28		35 58		21 21					52 30			32 45		20 02	02 37		14 20	12 10	6 12	15 55
COORDINATES			118				100		112					117	116					660						106				680		0 4 6						111			080		089	122	086	060
E 00	2	20	20		02		200		2 2	22	2	2	64	64	3 1	2	ט כ	, -	-	47			22	\$	80	9 6	80	8	0	17	- 0	,	1 2	22	10	13	18	200		-	2 00		202	21	0.1	35
SITE	43 53	52 53	52 53	31 47	31 47	54 40	10 44	30 05	37 01	37 01	39 21		64 95	26 49	90 09		34 52					36 34			32 24	30 24		32 24		31 43	10 04		47 12	38 18	32 08	44 14		34 24			30 39	31 02	31 02	48 38	35 33	35 33
DEC	0.8E	24E	34E	07E	3/0	1 4 5	100	100	156	15E	0 8E	16E	28E	28E	21E	155	155	00	02E	10E	02E	15E	15E	22E	13E	13E	135	13E	13E	056	***	120	18E	16E	310	16W	10 M	1 4 1	1 0	170	05E	100	0.56	17E	03E	05E
AZIMUTHS	163	204	504	202	016	177	1 + 1	212	185	220	223	356	198	199	175	221	290	191	231	221	194	202	323	010	214	223	223	223	260	108	101	186	063	152	201	184	186	177		198	226	201	200	322	193	192
AZIM	373	114	114	112	280	131	311	100	163	130	133	APX	108	108	345	12.	700	101	141	131	104	115	293	340	124	133	133	133	170	018	***	201	333	322	111	160	960	131	1 0	100	136	111	110	262	103	102
	UN-AU	JP-AL	JP-AT	JE-LA	JE-LA	JK-AZ	21-12	AL TITL	KN-UT	KN-UT	KC-MO	KP-NV	KY-AT	KV-AT	KE-NA	KG-A2	Z W	N1-4	78-27	LP-TX	LA-GA	LM-N	L M-NV	4 - M	LC-NA	Z Z	LC-NA	LC-NA	LC#NM	SH-77	101	1-04	L N-M	LI-NV	LV-LA	L S-NH	LS-NH	10-A2		L DZMS	LOSMS	ON-II	LU-MS	LY-WA	MX-TN	MK-AR
SITE DESIGNATOR	JASPER	JASPER .	JASPER .	JENA	JENA +	٠,	JOSPAN IS.	NEO XOX	NA N	KANAB .	KANSAS CITY .	KANICH PEAK .	KEG RIVER .	KEG RIVER .	KENSENICK	KINGHAN	KANED	LA FOLLETTE	LA PAZ (ARY)	LA PRYOR .	LAFAYETTE		MEAD .	LAKE MENATCHEE		LAS CRUCES .	LAS CRUCES	LAS GRUCES .	LAS CRUCES .	LAUREL *	CHESANON	FUTSTOWN	LEWISTOWN *	LIBERTY	LIDDIFVILLE	LISBON	LISBON +	LONG VALLEY		LUCEUM F	LUCEDALE	I UMAFOTON +	LUMBERTON	LYNDEN .	MANCHESTER	MARKED TREE
SITE	125	543	543	503	203	200	527	200	11	::	237	382	247	242	138	100	165	131	177	53	252	24	24	82	52	25	52	52	52	349	200	134	374	159	176	200	200	117	27.7	382	386	383	383	375	121	82

	S																							,	A INCOS S	MODE					_		OUTRIG	2														
-	L+PS	S	PS	_	S	٦	ب	ر	ر	S	ے	S	PS	0	PS	BS	_	7	_	۔	S	S	_		4 0	0	'n	z	z	s	HST	Sa	S.	200	, _			AC	AC	AC	AC	AC	AC			AC	AC	AC
•	>	>	z	-	_	>	z	>	>	_	z	>	z	z	z	z	z	z	-	_	z	-	2 :	- :	z >	- >	. >	>	>	-	z	<b>&gt;</b> :	z :	z 2	. >			z	z	z	z	z	z			z	z	z
-	>	-	-	-	>	-	-	-	T	>	-	r	_	-	-	-	_	-	-	s	_	>	> :	> :	E +		. >	-	>	80	I	-	-,	- >	. >			-	_	_	-	-	-			-	-	-
ELEV	193	544	122	61	391	412	290	213	1524	366	311	1546	215	186	515	195	124	29	213	192	732	183	168	026	355	100	396	975	529	183	731	1545	609	971	22.0	0	•	1908	669	632	792	1695	615	0-	-	603	869	695
																																														-	-	-
ĭ	050	3256	100	226	274	231	148	337	022	170	117	0789	001	005	9 700	900	348	4358	205	0.65	1384	209	061	9000	6620		251	1385	2153	437	0043	0000	000	100	812			000	000	000	000	8000	000			000	0000	000
DISTANCE	4.495	29.283	. 645	23.325	24.652	20.845	13,313	30.375	1.986	15.337	10.602	7.097	.146	. 225	. 433	. 555	31.317	39.193	18.451	5.882	12.443	18.849	5.490	20,469	250-2		22.608	12.456	19.364	39, 331	.390	0	2	14.945	73.049		6-	.072	.073	.072	.072	07	.072	0	٩	.071	.072	.072
S	35	18	11	14	50	23	99	35	53	10	30	=	28	36	52	13	51	13	28	96	37	45	0 !	2 1	20	0 0	22	70	51	47	60	28	15	35	28			25	16	38	53	28	13			43	4 4	66
AAE	17	m		0		35	39	10	0 8	25	23	20	20	1,4	t 30	33	47	25	36				34	5	2 2			45	20	66	03	03	000	7 0	2 5			27				32					59	
SITE COORDINATES	121	078	060	160	085	060	120	077	118	160	103	109	118	119	118	113	075	119	093	115	121	093	109	103	1115	1 1	088	101	992	157	116	116	116	171	100			116	116	116	116	116	116			116	116	116
000	14	31	34	10	25	51	21	53	10	16	20	23	20	20	28	21	7	0 8	31	19	00	90	0.2	22	76	2 0	27	11	28	27	60	31	25	0 .	17			32	58	25	24	36	10			21	00	96
ITE	12	16	20	21	33	20	90	49	56	39	63	54	25	10	35	18	45	15	33	10	25	36	24	9	2 4	9 4	22	64	31	27	14	13	13	2 0	2 6	:		14	14	15	17	19	21			25	22	20
,	39	10	31	35	35	45	20	0 4	38	43	4	33	37	38	37	38	41	16	34	43	4 8	34	35	25	2 4	3 6	5	42	45	21	37	37	3	2 0	2 4			37	37	37	37	37	37			37	37	37
DEC	17E	10H	990	390	02E	03E	23E	0.8W	17E	360	14E	14E	17E	17E	17E	17E	104	65E	180	18E	23E	07E	14E	141	155	101	OTE	13E	USE	360	16E	16E	16E	745	17.			16E	16E	16E	16E	16E	16E			16E	165	165
LHS	125	176	318	193	193	166	174	186	338	191	158	214	200	132	250	745	185	186	1 95	98	158	195	221	177	662	000	168	159	163	187	181	060	442	200	228			272	298	317	347	310	133			193	115	138
AZIMUTHS	562	186																							100						APX	000	0.5	240	138	VAN	VAN	182	208	227	257	283	333	VAV	VAN	003	025	640
	MV-CL	NO-ME	48-MS				ME-9C					ML-NH			ML3CL								NL-AZ		NT-OF			NR-NB			08-NV	082NV	OB3NA	19-60	NN-OC	N-Hd	PHZNV		2		,	2			VNAHG	1	2	3
SITE DESIGNATOR	MAZYSVILLE	MATTAMA	MCCOMB *	MCCRORY	MCMINNVILLE	MEDFORD	HERRITT	MIDDLEBURG	MINA	MITCHELL			LAKE .	•	LAKE .	•		MOULD BAY (ARY)	MOUNT IDA	MOUNTAIN HOME	MT. BAKER			-	NEEDLES NEW TEST SITE		NIAGARA (+ARY)				+ 31	SPRINGS BUTTE	TIE	DOLANDO	OSLO (ARY)	A A27 .	MESA ARY .	(PH2NV)	JORUM (PH2NV)		-		(PH-NV)		HESA ARY .	_		HANDLEY (USGS)
SITE	36	101	351	99	14	145	95	125	35	1	96	23	343	344	341	345	26	191	141	345	20	13	212	977	101	0 0	10	153	178	222	399	204	110	1 20	185	385	386							00 4	401			

LRSM SITE

PTEMBER 1977

																																				-	SPONE											
		8468	S	_	PS	Sa	PS	_	z	s	·	Sd.			, _		Sa	s	~	_	PS	_	s :	S+1	۵ ر	۲.		S	S.	S d	SHHS	ء ر	·	ر	_			, 4			ر	_	HST	z	، ر	n :		,
	۵.	>	>	>	>	-	-	>	z	-	-	<b>z</b> :	z 2	. >	. >	>	z	z	-	-	>	>	Z	z	<b>z</b> :	2 >	- z	z	z	z		<b>z</b> 2	. >	>	-	- :	z »	- >	. >	z	>	-	z	-	- :	z :	Z 2	
	-	>	>	>	-	-	-	>	-	>	> 1	- '	> +	- >	-	>	-	-	>	>	>	>	۰,		> +	- •		-	-	-	>	> +	- >	>	>	> 1	- >	• a	· œ	>	>	>	-	-	> :	> •	- >	
	ELEV	4	4	3	4	3		~	2	3	6				) M		-	9	,	6	6	-	~ .	-					6		~	٠.	. 10		2	m .	<b>.</b>	n m			6	6	,		o 1	,	- 4	0
	7	11	11	11	114	11	114	73	335	59	579	165	10/0	106		571	51	1606	544	579	57	198	15	1341	2134	•	1219	518	579	049	897	100	1113	1524	193	793	130	213	213	225	25	25	152	488	540		2026	
	ž	1984	7162	7219	2064	7166	1603	1510	2821	4191	6229	3294	9150	2000	3397	1443	5531	0295	1980	3533	3600	0597	3744	0868	0720	4505	1550	1709	1699	1628	1340	0550	4744	0911	9040	5062	0167	5046	1961	1256	1799	0718	0000	5404	1319	6179	2161	
	NCE	43	90	50	28	42	414	35	69	93	91	12	9 0	12	25	12	64	64	90	73	73	20	29	20	2	75	928	69	9.0	0.4	84	1	61	06	24	20	2 .	4	2	96	83	99	.266	23	65	77	198	•
	DISTANCE	17.843	64.406	64.920	19.558	64.445	14.4	13.545	25.368	37.6	60.781	29.621	2 242	477	31.5	12,975	49.740	2.649	17.804	31.773	32.3	5.3	33.6	7.805	6.477	40.516	2.929	15.369	15.280	14.640	12.048	4.947	42.661	8.190	3.6	45.820	249.77	45.378	44.645	11.296	15.183	6.456	.2	21.623	11.865	276.00	1.0	;
	S	45	94	94	94	42	94	41	02	31	00	36	50	22	0 0	20	33	84	25	11	11	25	18	0 1	6 10	22	2 4	20	25	04	50	34	40	74	03	03	10	200	200	34	90	35	0.1	11	16	2	11	2
	A TE		10	13	13	18	18	13	21	45	2	7	20		2 1	21	90	22	39	40	10	30	12	52	2	20	2 3	21	56	03	13	7 2	25	27	28	28	# u	36.0	36	13	34	34	55	30	32	2.	7 .	2
NOI	SITE COORDINATES	860	860	660	960	960	860	102	1 80	990	990	9/0	113	000	376	100	174	118		121	121	110	072	117	109		118	660		100	106	111	111			119								980	119	128	100	2
INFORMATION	S	2	5	13	2	7	19	11	14	24	60	22		2 4	0		37	13	51		81	61	0	2	32	22	2 2		35	•	13	640		20	64	6	0 0	2 15	200	10	53	53	24	31	80	9 4		
108	11	36	36	36	36	36	36	7	38	80	3		0 0		0	*		71	3.	-		9	2	9	010		200	-		60	7	1 0		-	60	6		200	56	12	17	21	1	6		2 .	20	
Z	S		27		27			30	94	24	24	2	60		, .,	35	52	33	**	24	24	34		3	34	-					9 7	33	100	33	35	35	1 2 7					34	37	45	648	5	5 17	,
SITE	DEC	363	360	360	360	360	360	115	110	354	324	1 3 5	1 4	105	MOD	115	03E	176	376	27E	27E	145	174	20E	14E	100	1 7E	10E	10E	10E	16E	146	19E	13E	16E	16E	165	101	76H	16E	360	360	16E	OZE	22F	111	135	101
LRSM	ZH Z	217	227	226	221	227	328	215	170	173	558	191	127	141	185	194	190	349	163	197	197	212	181	060	210	160	150	503	519	an a	135	221	211	212	325	022	1000	215	147	322	196	163	267	191	277	* 17	187	
	AZIMUTHS	127	137	136	131	137	148	125	080	083	139	101	131	171	960	104	200	319	073	101	101	122	091	000	120	3 6	323	119	119	9	245	131	121	122	535	130	354	125	357	292	105	073	APX	110	347	101	200	
		S.J-TX	SJ-TX	SJ-TX	SJ-1X	SJ-TX	SJ\$TX	SS-TX	SL-ON	SV203	SV308	20-14	24-95	NAT TY	SH-PA	SK-TX	S0-1S	SZ-NV	SE-HN	SI-9C	SI-BC	SF-AZ	80-08	54-0K	SV-AZ	27.00	ST-NV	STITK	STZTX	STATX	-4044	ZN-NZ	SH-MA	TC-N4	15-CL	15-01		TF-GL	16-61	TP-NV	10-0x	10-CT	TI-NV	TM-MS	TK-MA	2	N N	
	SITE DESIGNATOR	SAN JOSE						-	H	SCHEFFERVILLE ARY	SCHEFFERVILLE .	SCHUYLER	SELIGIAN	SENECE .	SHAMOKIN	SHAMROCK	SHEMYA	SHOAL	SLEEPY EVE	SMITHERS .	SMI THERS .	SNOWFLAKE	SOME	SPAKTA (ARV)	SPRINGERVILLE	STATISTICS OF THE PARTY OF THE	STILLWATER	STREETER	STREETER	STREETER	SUBARRAY AC (ARY)	SUNFLONE?	SWEETGABS .	1 02 C	TAFI	1471	- 21 1000 1011	THULE *	THULE	TIPPIPAH .	TISHOMINGO	TISHOMINGO .	TOLICHA PEAK .	TOMAHAMK	TONASKET	TOACK TEVA IS.	TOPS DIFILIDAS	
	SITE	33	36	30	30	30	30	53	136	217	231	677	7	4 4	124	183	366	154		242	242	21	66	90	27		158	356	357	358	230	213	232	54	26	2		2 6 6	244		*	6.4	398	155	104	600	192	

		+S+HG+								54.			•		8				5				6			S+Tx			200										SOUTRIG	PS OUTRIG	S SPONLY	21		
	-	نـ	Z	٠.	٠.	. د	٠,	0	n .	٠.	ه د	-	•	۵	ā	ā	_	_	ă	۵	S	۵	۵	۰	_	S	Z.	، ر	'n -	_		S	Z	S	S	_	۵	à	۵	۵	à	Ï		
	•	>	z	-	- :	2 :	- 1	- >	- :	z >	- 2	. >	z	z	>	-	>	z	z	z	-	~	z	z	z	>	- :	<b>-</b> ,	- >	- >	z	~	>	z	-	-	>	*	z	z	>	z		
	-	>	-	-	E 1	- :	> :	> :		>>		-	-	-	-	-	-	>	>	-	0	•	80	>	-	>	- :			• >	>	>	-	-	>	>	>	-	-	-	-	-		
	ELEV	816	528	366	533	1311	1341	1/00	*15	122	2073	427	366	366	198	198	305	716	716	162	653	853	853	1920	975	161	361	1524	192	792	1585	381	122	610	914	914	916	1271	1260	1254	1244	1341		
	ř.	1509	2750	3456	0332	1060	0000	2000	2512	1278	0832	2802	4399	4466	2487	1761	1981	3313	3380	2958	2932	5963	2998	040	1728	1951	1933	0475	121/	5911	1950	2141	2287	1080	4994	4521	4556	0000	0000	0000	0000	0041		
	DISTANCE	13.573	24.735	31.081	596.2	8.160	9.162	20.146	13.11	14.1.18	7.486	25.196	39.560	40.160	22.364	15,833	17.816	29.796	30.394	56.599	26.370	504.92	55.966	3.669	15.539	17.273	17.383	4.275	13.041	53.158	5.071	19.255	20.567	9.713	40.148	40.555	40.707	0	•	•	•	.369		
	S	23	10	15	31	22	20	÷ ;	2	100	3	28	6	07	=	11	28	25	25	21	05	05	02	24	24	2	18	200	9 4	10	15	23	52	15	*	14	14	07	12	22	15	15		
	NATE	40	70	80	2	2 .	*	7 6	5	2 4	2 2	45	16	16	35	35	59	45					28	15			60	7	::	::	37		-	-	45	£	45	0	00	01	02	33		
NO	SITE COORDINATES	103	085	920	1115	110	110	100	260	115	11.	90	111	111	087	087	160	128	128	135	134	134	134	112	121	960	0 95	11	2 6	100	110	092	060	119	122	122	122	116	116	116	116	116		
HAT	00	52	35	17	*	60		7 6	2 0	30	2	35	34	34	99	96	30	00	00	03	41	7	;	10	43	52	20	70			53	90	**	00	04	04	10	90	2	25	53	53		
1504	3116	90	12	*	3	2	9 6	3 .	2 :	2 6	2	90	39	39	51	21	56	20	0	\$	47	7	;	52	2	36	90	7	2 4	12	25	8 4	36	30	38	30	38	50	30	3	5	22		
E		47	46	7	*	9 :	3	2 3		2 6		36	26	96	9	7	34	63	9	9	9	63	9	35	25	32		;	* 1	F 7	34	43	35	46	;	7	41	37	37	37	37	36		
LRSM SITE INFORMATION	DEC	14E	140	101	150	200	202	101	300	100	176	OTE	24E	24E	OZE	02E	0 8E	32E	32E	316	316	31E	31E	15E	24E	369	07E	186	125	12E	14E	05E	36E	21E	196	19E	19E	16E	16E	165	16E	16E		
2	UTHS	138	170	185	900	25	2		2 .	40	350	192	203	233	1.80	182	195	187	187	1.80	155	181	952	510	073	060	164	9 9	210	219	221	168	192	072	215	214	212	060	127	HRZ	060	183		
	AZIMUTHS	840	090	560	9	240	200	660	200	074	260	102	113	113	060	992	105	160	160	.61	325	091	325	150	343	000	17.	2 40	120	129	131	078	102	345	125	154	125	000	9	2	200	APX		
		TS-ND	11-F1	TU-PA	- א-נר	30-12	1	200	1	201	WZ-NV	NT-TN	WS-AT	WS-AT	H0-11	H3-11	MA-OK	H-YK	*L-YK	HH-AK	NH2YK	WHZYK	WH2YK	MM-AZ	TK-BC	MP-IX	NH-OH	N - T =	NA CO	NN-SD	MO-AZ	MF-MN	MY-AR	YA-WA	78-CL	74-CL	Y3-CL	YF-N	YFSNV	Y F3NV	ALTIN	N-H-	1	
	SITE DESIGNATOR	ROTTERS	ROUT LAKE	UNKHANNOCK	ES PALMS	DALAH	FENALOX	THENT	201	MAN WAN HIS.	AARM SPEINGS	MARTBURG	MATERWAYS .	ATERMAYS .	MATSEKA	IATSEKA .	MATSON	MATSON LAKE .	IATSON LAKE .	HITEHORSE .	HI TEHOPSE	HITEHORSE .	HITEHORSE .	HILLIAMS	HILLIAMS LAKE	TILLS POINT	MOONIN	TINNEHOUCA	TINES .	INNER +	INSLOW (+ARY)	HYKOFF	HANNE	TAKIMA	PREKA .	FREKA .		FLAT	FLAT		YUCCA FLAT NTS	UCCA MIN	SITES SELECTED 417	
	SITE	219 TI	_			000	65			104		129 W	-	-	-	-	-	-	-	-	-		_				127 H				-	Ī	-		246 Y						414 Y	396 Y	TOTAL SI	

SITE NUMBERS AFTER 55 RELATE TO ORIGINAL PERMIT DATE SEQUENCE.

SITE DESIGNATION - A MAP NAME NEAR THE SITE WITH A FIVE-CHARACTER STATION CODE. (ARY) INDICATES ARRAY SITE. (+ARY) INDICATES ARRAY INSTRUMENTATION ADDED TO ORIGINAL SITE. DATA GIVEN FOR ARRAY SITES ARE GENERALLY FOR THE CROSS OR CENTER POINT. PH-NU AND PHRAV VAN SITES SUPPORTED ACCELEROMETER ARC FOR JORUM FVENT, AND INDIVIDUAL ARC STATIONS ARE REPORTED. PH3NV AND PH4NV VAN SITES SUPPORTED ACCELEROMETER ARC FOR HANDLEY EVENT, AND INDIVIDUAL ARC STATIONS ARE REPORTED.

PH-NV AND PHINV VAN SITES SUPPORTED ACCELEROHETER ARC FOR JORUM EVENT, AND INDIVIDUAL ARC STATIONS ARE REPORTED.
PHINV AND PHENV VAN SITES SUPPORTED ACCELEROHETER ARC FOR HANDLEY EVENT, AND INDIVIDUAL ARC STATIONS ARE REPORTED.

AZIMUTHS - STATION AZIMUTHS IN DEGREES ARE FOR ON-SITE RADIAL AND TRANSVERSE HORIZONTAL SEISMOMETER DRENTATION. EARTH MOTION TOWARDS THESE DIRECTIONS RESULTS IN MIXIMUM POSITIVE RECORD TRACES. WITH THE EXCEPTION OF SOME SITES OCCUPIED FOR SPECIAL PROGRAMS. DATENTATION

S - STATION AZIMUTHS IN DEGREES ARE FOR ON-SITE RADIAL AND TRANSVERSE HORIZONTAL SEISMOMFTER DATEINTATION. EARTH MOTION TOWARDS THESE DIRECTIONS RESULTS IN MAXIMUM POSITIVE RECORD TRACES. WITH THE EXCEPTION OF SOME SITES OCCUPIED FOR SPECIAL PROGRAMS, ORIENTATION IS GENERALLY FOR NEVADA TEST SITE EVENTS. NTS COORDINATES USED FOR AZIMUTH AND DISTANCE COMPUTIONS ARE 37-183 DEGREES N. LAT. AND 116.20 DEGREES N. LONG. AZIMUTHS FOR HORIZONTAL STAILNMETERS ARE APPROXIMATE, AND ARE NOT NEGESSARILY IN-LINE-RADIAL FROM EVENT.

SITE DUPLICATION - INDICATES REDRIENTATION OF SEISMOMETERS, OR REOCCUPATION MITH OTHER TYPE SEISMOMETERS/SENSORS.

DECLINATION - THE MAGNETIC DECLINATION OF THE COMPASS IN DEGREES AT THE SITE, EAST OR WEST OF TRUE NORTH.

SITE COORDINATES - GEGGRAPHIC COORDINATES IN DEGREES, HINUTES, AND SECONDS OF LATITUDE AND LONGITUDE. GENERALLY TAKEN FROM MAP PLOTS MITH PLUS OR MINUS 20 SECONDS MAXIMUM ERROR.

DISTANCES - DISTANCES ARE GIVEN IN GREAT CIRCLE DEGREES AND KILOMETERS TO THE EVENT. DEGREE DISTANCE DECIMALS ARE NOT ROUNDED-OFF. KILOMETER DISTANCES ARE CORRECTED TO THE NEAREST KILOMETER.

ASTERISKS - IF A SITE NAME IS FOLLOWED BY AN ASTERISK, DISTANCES ARE TO A SPECIAL EVENT, OTHERWISE, DISTANCES ARE TO THE NEVADA TEST SITE.

ELEVATIONS - ELEVATIONS ARE GIVEN IN METERS ABOVE OR BELOM MEAN SEA LEVEL.

T - TYPE OF SURFACE SEISMOMETER PROTECTION EMPLOYED AT SITE.

HE MINE TELEGISTON SELSTON SELSTON STATION OF THE THE MINE TELEGISTON STATION STATION TRENCH, ETC.)

B = BUNKER

S = MISSILE SILO

P - AVAILABILITY OF COMMERCIAL POWER.

Y = YES

- PRIMARY SENSOR INSTRUMENTATION INSTALLED.

N = NEVER 0000PIED

L = LARGE RENIOFF

PS = PORTABLE SYSTEM DH = GEOTECH DEEP HOLE SH = GEOTECH SHALLOW HOLE

HS = HALL SEARS

AC = ACCELEPOMETER

UST = VERTICAL STRAIN HST = HORIZONTAL STRAIN TX = GEOTECH TRIAXIAL

KS = MODEL 36000 (KS) SEIS

OUTRIGGER SITE, VERT ONLY